SAFETYProduct Catalogue



Enabling Performance Since 1877

A FEW OF THE BRANDS WE SUPPLY AND TRUST

PELTOR®

























TABLE OF CONTENTS

- 04. Eyewear
- 12. Respiratory
- 22. Autodarkening | PAPR | Supplied Air
- 28. Earplugs & Earmuffs
- 36. Gloves
- 52. Clothing
- 58. Footwear
- 72. Working at Heights





ABOUT LEGG & WESSEL

Superior Quality Safety Products

At Legg & Wessel, we believe in the advantages of using quality workplace safety (PPE) products.

Global and local standards for PPE in the workplace are at an all-time high, and with employee lives at stake, it is important to ensure the use of "fit for purpose" solutions at all times.

The advantages of this philosophy include:

- · Reduced workplace injury by using the correct product for the job
- · Improved compliance due to comfort in use
- · Cost savings due to superior performance of quality products

Legg & Wessel supplies a wide range of PPE products in South Africa and beyond.

Quality at affordable prices remains a priority and as a result we are proud to supply globally recognised workplace safety product brands such as 3M, Honeywell, Howard Leight, Granberg, Peltor and Scott Safety,

We trust you will use this catalogue as a practical tool to Enable your Performance.

Protective Eyewear

3M

Virtua Safety Specs | Clear & Dark

SKU: SPNVIRTO

Description: Lightweight, unisex Virtua protective eyewear combines versatility and value with high wrap-around coverage, polycarbonate construction and a hard coat, scratch-resistant lens for a comfortable, contoured fit. Economy-rated glasses merge style, fit, lightweight comfort, and affordability. Lightweight design weighs less than 28g for comfort. Wrap-around design provides extended eye protection and unobstructed viewing. Unisex styling fits a variety of facial profiles. Polycarbonate lenses absorb 99.9% UVA and UVB.

Sold Per: 1 pair



Economy

Overspecs

SKU: SPECOOVER

Description: A universal fit wrap-around overspec with full side and brow protection. Lens is 100% polycarbonate optically correct. Withstands an impact from a 6.5mm steel ball travelling at a speed of 162 km per hour (45 meters per second). The frame has vented side arms.

Sold Per: 1 pair



Economy

Clear Safety Specs

SKU: SPECOSPECC

Description: 100% UV protection up to 280 mm. Lens is 2.2mm polycarbonate. Optically correct. Withstands an impact from a 6.5mm steel ball travelling at a speed of 162 km per hour (45 meters per second). The frame has universal fit temples. Applications: dust & impact

Sold Per: 1 pair



Economy

Dark Safety Specs

SKU SPECOSPECD

Description: 100% UV protection up to 280 mm. Lens is 2.2mm polycarbonate. Optically correct. Withstands an impact from a 6.5mm steel ball travelling at a speed of 162 km per hour (45 meters per second). The frame has universal fit temples. Applications: dust & impact.









Economy

Safety Goggles

SKU: SPGOGGLES

Description: Designed for general lab and shop applications, these impact-resistant goggles can easily be worn with most half-mask respirators. The scratch-resistant, anti-fog polycarbonate lens offers 99.9% UV protection. The goggles also feature perforated sides

Sold Per: 1 pair

Honeywell

A700 Specs

SKU: SPH1015360

Description: Sporty styling provides a stylish fit for your everyday wearer. Lightweight design with sport temples and soft temple tip pads provides a secure, wrap-around fit and all-day comfort. Moulded universal nose bridge provides a comfortable fit. 8-base polycarbonate abrasion resistant lenses provide a 108° field of distortion-free vision. Complies with ENI66 – ENI70 – ENI72. Available in Clear, TSR Grey, Blue Mirror and Amber lenses for both indoor and outdoor work applications. Optimal Fog-Ban minimizes lens fogging in extreme conditions. Provides 99.9% UV protection

Sold Per: 1 pair

Honeywell

A800 Specs

SKU: SPH1015369

Description: Slim profile provides an ideal fit for workers with smaller faces. Sporty styling provides a fashionable fit. Temples feature aggressive sports styling and soft, padded inserts with extra flex built in for more comfort. Soft nose-piece conforms to various nose bridge shapes for added comfort and a non-slip fit. 9-base polycarbonate abrasion resistant lenses provide a 108° field of distortion-free vision. Complies with ENI66 – ENI70 – ENI72. Available in Clear, TSR Grey, and I/O Hard Coat for both indoor and outdoor work applications. Optimal Fog-Ban minimizes lens fogging in extreme conditions. Provides 99.9% UV protection.

Sold Per: 1 pair

Honeywell

XC Series Specs

SKU: SPH1011027

Description: XC for X-tra Coverage, X-tra Comfort, X-tra Control. X-tra Coverage: Exceptional lens 9 base-curved high coverage lens. X-tra Control & Adjustability: Adjustable temples & lenses with flexible nosepiece Extra flexible frame easily replaceable lenses: they can be changed easily without replacing the entire frame for a longer product life and cost savings. X-tra Comfort: Multi-Material Technology – MMT Ultra-soft two-shot material on any part of the frame in contact with the face or head (brow, nose bridge, and



Honeywell

Op-tema Specs

SKU: SPH1004949

Description: Affordably priced protection for maximum value. Lightweight full view lens. Built-in moulded brow bar Soft, adjustable nosepiece. Adjustable temple length and lens angle. Abrasion resistant polycarbonate lens. Adjustable, breakaway

Sold Per: 1 pair



Honeywell

V-Maxx Goggles

SKU SPH1006193

Description: A sporty style for increased wearer acceptance. 180° field of vision for distortion free peripheral vision. Rotating strap attachments. Passes impact grade B for medium energy and also meets certification for molten metal. Elastic Headband. Special concept of indirect ventilation.

Sold Per: 1 pair



Honeywell

Duramaxx Goggles

SKU: SPH1017751

Description: Ideal for protection against impact, dust, airborne particles, chemical splash and optical radiation (UV and welding / heat radiation). Wrap-around lens offers a wide panoramic field of vision. Modern ergonomic design for protection against chemical splash and impact from projections. The lens provides superior optical quality and peripheral vision. Soft elastomer body flexes and conforms to the face for a secure, comfortable, gap free-fit. Pivoting quick-adjust headband provides easy adjustment for a comfortable fit. The goggles can be used comfortably with most prescription glasses. May be worn comfortably with half-mask respirators. Low profile design and toric lens for a large panoramic field of vision.

Sold Per: 1 pair



Honeywell

SP1000 2G Series

SKU: SPH1028640

Description: Provides protection against impact, wind, dust and airborne debris. Ideal for dirty, high-particulate work environments such as grinding, chipping, shaving and sanding. Soft and flexible nose piece. Soft, high-quality face cushioning and padded temple tips. Coming by default with a wide headband. High performance Honeywell lens coating making the spectacle K & N on both sides of the lenses. Conforms to a variety of facial profiles and minimises slippage. Offers all-day comfort. Superior comfort & stability of the spectacle on the head. Excellent anti-fog, anti-static and scratch-resistant properties.







Honeywell

Millennia Welding Specs

SKU: SPH1006406

Description: Classic and simple in appearance but highly sophisticated in design. Balance and lightness of frame. Adjustable, breakaway Flexicord retainer. Unique 9 base curved lens design. A balanced fit and a greater visual comfort. A virtually weightless feel. Added security and convenience in the active work environment. Excellent optical qualities and complete protection.

Sold Per: 1 pair

Honeywell

Bionic Faceshield

SKU: SPH1011933

Description: Superior quality panoramic visor, for maximum visibility. Easy to replace visors available in a range of materials, shades and finishes. Compatible with most spectacles, goggles and respirator masks. 100% dielectric. Excellent optics for increased visibility. 2784 possible combinations. Click-lock mechanism for precise headgear adjustment. Multi-position visor and ratchet locking system. Breathable, removable, washable headband. Comfortable cell foam on back of headgear.

Sold Per: 1 unit

Honeywell

Supervizor Clear Visor

SKU: SPH1002312

Description: A robust, heavy-duty, helmet mounted face shield with hearing protection compatibility. Compatible with a wide range of helmet designs (size, shape and geometry). Visor fixing method is secure and allows easy visor replacement. Full face protection: optional chainguard versions available for added protection. Creased visor eliminates gaps and visor profile follows contours of the face. Visor selection can be tailored to the specific hazard/application: mechanical, chemical, heat etc. Those items are compatible with the complete range of helmet mounted earmuffs including Bilsom communication earmuffs.



3M #2800 Clear Overspectacles

SKU: SP2800

Description: 3M Overspectacles feature an inclinable lens and adjustable temple length. Will fit over most users prescription glasses with minimal interference. Strong polycarbonate lens with anti-scratch coating for durability. They offer an excellent coverage and field of vision, combined with a high level of protection against impacts. Adjustable 4 temple lengths for optimal comfort and fit. Inclinable lens for easy adjustment and maximum comfort. Soft low profile temples for comfort.

Sold Per: 1 pair



3M #2890 Anti-Scratch/Anti-Fog Clear

SKU: SP2890

Description: With a modern slim design, the 3M 2890 Safety Goggles combine performance, comfort and style while providing the wearer with an excellent field of vision. Indirect Ventilation for improved circulation, comfort and reduced fogging in hot/humid conditions. Polycarbonate lens. Increased durability with an extremely scratch resistant coating. Special anti-fog coating reduces fogging and ensures clearer vision.

Sold Per: 1 pair



3M Maxim Hybrid Anti-Scratch/Anti-Fog

SKU: SPMAXGOGGLES

Description: The 3M Maxim™ Hybrid Goggle is a very lightweight low profile form of eyewear protection that provides high comfort and unsurpassed protection against liquid droplets and mechanical hazards. The high performance ventilation system overcomes fogging problems while keeping liquids and dust out of the goggle. The comfortable nylon head strap is adjustable thanks to a pivoting clip system that is easy to operate and provides a secure fit. Sold Per: 1 pair



3M #201 | #202 | #203 Secure Fit

SKU: SP201S

Description: The Secure Fit spectacles have an anti-fog lens. It is light weight and stylish. Self-adjusts to fit a wide array of head sizes. Lens absorbs 99% ultraviolet lights. Available in PC clear lens, PC grey lens & PC amber lens.



3M #401 SecureFit

SKU: SP401

Description: 3M™ SecureFit™ 400 Series safety spectacles are comprised of a rimless lens and fixed-length temple arm. An integrated side-shield is also included for added protection. Temples also feature 3M™ Pressure Diffusion Temple Technology which helps diffuse pressure over the ear to enhance frame comfort across a diverse workforce. This innovative design promotes improved comfort and security of fit. A clear polycarbonate lenses absorb 99.9% UVA and UVB down to 280 nm and meet the requirements of CSA Z94.3 and ANSI Z87.1-2015.

Sold Per: 1 pair



3M #402 SecureFit

SKU: SP402

Description: 3M™ SecureFit™ 400 Series safety spectacles are comprised of a rimless lens and fixed-length temple arm. An integrated side-shield is also included for added protection. Temples also feature 3M™ Pressure Diffusion Temple Technology which helps diffuse pressure over the ear to enhance frame comfort across a diverse workforce. This innovative design promotes improved comfort and security of fit. A grey polycarbonate lenses absorb 99.9% UVA and UVB down to 280 nm and meet the requirements of CSA Z94.3 and ANSI Z87.1-2015.

Sold Per: 1 pair



3M #403 SecureFit

SKU: SP403

Description: 3M™ SecureFit™ 400 Safety Glasses SF403SGAF YEL EU, Yellow/Black Frame, Scotchgard™ Anti Fog, Amber Lens, comprise of a rimless lens and wide flexible temple arms for solid side protection and popular to be used in combination with ear defenders. Temples also feature 3M™ Pressure Diffusion Temple Technology (PDT) which allows the safety spectacle temples to naturally adjust to individual's head sizes giving wearers a secure and comfortable fit. Reduces slippage from head movements. Soft, adjustable nose pads for even greater personalisation of fit. 3M™ Scotchgard™ Anti Fog Coating resists fogging longer than traditional anti fog coatings, even after washing multiple times

Sold Per: 1 pair



3M #408 SecureFit Blue Mirror Lens

SKU: SP408

Description: 3M™ SecureFit™ 400 Safety Glasses SF408AS EU, Black/Green Frame, Anti Scratch, Blue Mirror Lens, comprise of a rimless lens and wide flexible temple arms for solid side protection and popular to be used in combination with Ear Muffs. Temples also feature 3M™ Pressure Diffusion Temple Technology (PDT) which allows the safety spectacle temples to naturally adjust to individual's head sizes giving wearers a secure and comfortable fit. Reduces slippage from head movements. Soft, adjustable nose pads for even greater personalisation of fit.

3M

#410 SecureFit Indoor / Outdoor Mirror Lens

SKU-SP410

Description: 3M™ SecureFit™ 400 Series safety spectacles are comprised of a rimless lens and fixed-length temple arm. An integrated side-shield is also included for added protection. Temples also feature 3M™ Pressure Diffusion Temple Technology which helps diffuse pressure over the ear to enhance frame comfort across a diverse workforce. This innovative design promotes improved comfort and security of fit. The indoor / outdoor mirror polycarbonate lenses absorb 99.9% UVA and UVB down to 280 nm and meet the requirements of CSA Z94.3 and ANSI Z87.1-2015.

Sold Per: 1 pair







3M

#601 SecureFit

SKU: SP601

Description: The stylish design features the proprietary 3M[™] Pressure Diffusion Temple Technology – a scientific advancement that helps diffuse pressure over the ear and enhances temple comfort while not compromising the security of fit across diverse workforces, and has a soft nosepiece to help reduce slippage. Clear Scotchgard(tm) Anti-fog lens coating helps workers see clearly, longer. Polycarbonate lens absorbs 99.9% UVA & UVB.

Sold Per: 1 pair




#602 SecureFit

SKU: SP602

Description: The stylish design features the proprietary 3M[™] Pressure Diffusion Temple Technology – a scientific advancement that helps diffuse pressure over the ear and enhances temple comfort while not compromising the security of fit across diverse workforces, and has a soft nosepiece to help reduce slippage. Grey Scotchgard(tm) Anti-fog lens coating helps workers see clearly, longer. Polycarbonate lens absorbs 99.9% UVA & UVB.





3M

#630 SecureFit Shade 3.0

SKU: SP630

Description: Features proprietary 3M™ Pressure Diffusion Temple Technology which helps diffuse pressure over the ear for a secure, comfortable fit. Anti-Scratch coating Predominantly used with other PPE for cutting, brazing and soldering, metal making, furnace work and open flame applications. Meets the requirements of ANSI Z87.1-2015 Standard as an Impact Rated spectacle. Shade W3.0 lens reduces ultraviolet, visible and infrared radiation reaching the eye. anti-scratch coated polycarbonate lens absorbs 99.9% UVA & UVB. Sold Per: 1 pair



3M

#650 SecureFit Shade 5.0

SKU: SP650

Description: Features proprietary 3M™ Pressure Diffusion Temple Technology which helps diffuse pressure over the ear for a secure, comfortable fit. Anti-Scratch coating Predominantly used with other PPE for cutting, brazing and soldering, metal making, furnace work and open flame applications. Meets the requirements of ANSI Z87.1-2015 Standard as an Impact Rated spectacle. Shade W5.0 lens reduces ultraviolet, visible and infrared radiation reaching the eye. anti-scratch coated polycarbonate lens absorbs 99.9% UVA & UVB. Sold Per: 1 pair





3M #8810 FFP2 Unvalved

SKU: SP8810

Description: The 3M 8810 breathing mask has nose foam and a nose clip, a convex cup-shape design, along with twin strap design, to ensure comfortable wear over a range of face sizes. The collapse resistant shell offers durable, comfortable protection. Reliable, effective protection against fine particulates. Comfortable, lightweight off-the-face design. Blue colour coded straps. FFP2 protection level.

Sold Per: 1 box of 20 masks



3M #8822 FFP2 Valved

SKU: SP8822

Description: Traditional cup shape, with nose clip and twin strap design. The convex shape, twin strap design, nose foam and nose clip ensure comfortable wear over a range of face sizes. 3M™ Cool Flow™ Valve: Effective removal of heat build up provides a cooler and more comfortable wear, Removes exhaled air and minimises the risk of misting eyewear. Reliable, effective protection against fine particles. Colour coded straps, blue = FFP2 (APF 10). The 3M™ Disposable Respirator 8822 provides lightweight, comfortable and effective protection against dust and mist.

Sold Per: 1 box of 10 masks



3M #8835 FFP3 Valved

SKU: SP8835

Description: The 3M™ Disposable Respirator 8835 has exceptional comfort because of its lightweight, off the-face design. Soft Inner Face-Seal Ring: Increases wearer comfort and can be hygienically cleaned if used for longer than one shift. Effective filtration combined with low breathing resistance: The large surface area helps extend the life of the respirator whilst the 3M™ Advanced Electret Filter Media provides low breathing resistance. 3M™ Cool Flow™ Valve: Effective removal of heat build up provides a cooler and more comfortable wear, Removes exhaled air and minimises the risk of misting eyewear.

Sold Per: 1 box of 5 masks



3M #9332+ FFP3 Valved

SKU: SP9332

Description: The 3M™ Aura™ Disposable Respirator 9332+ provides comfort and style without compromising performance. Protects against dusts and mists found in a wide variety of industrial applications and other work situations requiring FFP3 protection. Flat fold disposable P3 respirator offering reliable, effective protection against higher levels of fine dust, mists and metal fume. Low breathing resistance filter technology for easier breathing through your shift. Ingenious 3-panel design that accommodates greater facial movement during speech so much more comfortable to wear. A sculpted nose panel for improved compatibility with eyewear. An innovative chin tab for ease of donning and adjustment of the respirator on the face.

Sold Per: 1 box of 10 masks



3M #9914 FFP1 Valved

SKU: SP9914

Description: The 3M™ Speciality Disposable Respirator 9914 provides lightweight, effective, comfortable and hygienic respiratory protection against dust, mist and nuisance level organic vapour (below WEL). Robust Design: Conforms well to most face shapes and sizes, Maintains its shape well during use, Collapse-resistant. 3M™ Cool Flow™ Valve: The Cool Flow valve reduces heat build-up to offer workers comfortable protection - even in hot and humid conditions. Carbon Layer: Provides protection against nuisance level organic vapours (below TLV). 3M™ Cool Flow™ Valve: Effective removal of heat build up provides a cooler and more comfortable wear, Removes exhaled air and minimises the risk of misting eyewear. Colour Coded Straps: Easy to recognise performance level by colour coded straps - yellow: FFP1 (APF 4).

Sold Per: 1 box of 10 masks



3M #9922 FFP2 Valved

SKU: SP9922

Description: The 3M[™] Speciality Disposable Respirator 9922 provides lightweight, effective, comfortable and hygienic respiratory protection against dust, mist, nuisance level organic vapour and ozone (below WEL). Robust Design: Conforms well to most face shapes and sizes, Maintains its shape well during use, Collapse-resistant. 3M[™] Cool Flow[™] Valve: The Cool Flow valve reduces heat build-up to offer workers comfortable protection - even in hot and humid conditions. Colour Coded Straps: Easy to recognise performance level by colour coded straps - blue: FFP2 (APF 10). Sold Per: 1 box of 10 masks



3M #9925 Welding Fume FFP2 Valved

SKU: SP9925

Description: The 3M™ Welding Disposable Respirator 9925 provides lightweight, effective, comfortable and hygienic respiratory protection against dust, mist and metal fumes and resists clogging for use against welding fume. Provides protection against ozone and welding fumes, plus relief from nuisance odours. Robust Shell and Cup Design: Flame retardant outer surface minimises the effect of welding spatter, conforms well to most face shapes and sizes, collapse-resistant. Specifically designed to offer respiratory protection in welding operations. Efficient particulate filter resists clogging for extended use against welding fume. Carbon layer: Provides protection against ozone gas and relief from nuisance level odours (below WEL). 4-Point Adjustable Headbands: Help provide comfort to face, head and neck.

Sold Per: 1 box of 10 masks



3M #9928 Welding Fume FFP2 Valved

SKU: SP8835

Description: The 3M™ Disposable Respirator 8835 has exceptional comfort because of its lightweight, off the-face design.Soft Inner Face-Seal Ring: Increases wearer comfort and can be hygienically cleaned if used for longer than one shift. Effective filtration combined with low breathing resistance: The large surface area helps extend the life of the respirator whilst the 3M™ Advanced Electret Filter Media provides low breathing resistance. 3M™ Cool Flow™ Valve: Effective removal of heat build up provides a cooler and more comfortable wear, Removes exhaled air and minimises the risk of misting eyewear.

Sold Per: 1 box of 10 masks



3M Half Face Mask



SKU: SP6100 (S) | SP6200 (M) | SP6300 (L)

Description: The 3M[™] Half Facepiece Reusable Respirator 6000 Series helps provide protection against particulates and a wide variety of gases and vapours when used with approved cartridges and filters. When properly fitted and used with approved 3M[™] cartridges and filters, this respirator helps provide protection at concentrations up to 10 times the permissible Exposure Limit (PEL). The swept back design of the cartridges helps improve balance and visibility. Remarkably comfortable, soft, lightweight facepiece has easy-to-adjust head straps which allow for a customized fit to the user. Replaceable cartridges help reduce waste and costs over time. The 6000 Series is NIOSH approved for negative-pressure air purifying and positive-pressure dual airline applications. This half facepiece respirator may be used with 3M[™] Cartridge 6000 Series; 3M[™] Filters 2000, 2200, 7000 or 5000 Series; or 3M[™] Dual Airline Systems against a variety of gases, vapours, and particulate hazards according to NIOSH approvals. Breathing hazardous particles, gases and vapours can be harmful to your health. The 3M[™] Half Facepiece Reusable Respirator 6000 Series helps reduce exposure to many contaminants.

Sold Per: 1 unit

3M Half Face Mask



SKU: SP6502

Description: Stay productive and protected – this half mask respirator delivers comfort, durability and stability with a firm, lightly textured silicone faceseal and strong body construction. Silicone Faceseal - Provides comfort and stability with a soft but firm faceseal. Extended product life due to resilient silicone material. Keeps it shape in high-heat environments. Lightweight. Adjustable Head Harness Assembly - Optimum fit and comfort with three-size adjustable head cradle. Durable harness straps. 3M™ Bayonet Connection - Flexible bayonet system for connection to a wide range of 3M™ gas, vapour particulate filters. 3M™ Cool Flow™ Exhalation Valve - Enhanced comfort by reducing heat and moisture. Less exhalation resistance makes breathing easier. A re-usable half mask designed with tough and dirty work environments in mind. Stay productive and protected – the 6500 Series delivers comfort, durability and stability with a firm, lightly textured silicone faceseal and strong body construction.



3M Full Face Mask



SKU: SP6800

Description: The 3M™ Full Facepiece Reusable Respirator 6000 Series helps provide protection against certain airborne contaminants. Versatile—use with 3M particulate filters, gas/vapor cartridges and supplied air respirator systems. The 3M™ Cool Flow ™ Valve helps make breathing easier. These features combine to make a comfortable, practical and economical solution. Recommended applications include assembly, chemical clean-up, chemical handling, chemical splash, chipping, chiseling, cleaning, furnace operations, grinding, laboratories, machining, masonry, painting, pouring/casting, sanding, sawing, and welding. Industries in which this facepiece are commonly used include agriculture, construction, general manufacturing, pharmaceuticals, and primary metals. NIOSH approved with 3M cartridges, filters or supplied air systems to help reduce breathing certain airborne contaminants. The 6000 Series facepiece also meets the impact requirements of the ANSI Z87.1-2003 standard, high impact level for face and eye protection.Breathing hazardous particles, gases and vapors can be harmful to your health. The 3M™ Full Facepiece Reusable Respirator 6000 Series helps reduce exposure to many contaminants. Enhanced comfort and visibility features make wearing the respirator noticeably more enjoyable.

Sold Per: 1 unit

3M Maintenance-Free Half Face Mask



SKU: SP4251

Description: Ready-to-use, maintenance-free half mask designed for effective and comfortable protection against organic vapour and particulate hazards found throughout industry. Low profile design for better peripheral vision. FFA1P2R D protects against organic vapours, up to 10 x Workplace Exposure Limit (WEL) or 1000 ppm whichever is lower and 10 x WEL for particulates. Exhalation valve centrally positioned for effective removal of heat and moisture. Adjustable head cradle and easy to fasten neck straps. Respirators can be used until damaged, particulate filters clog, gas filters become saturated or after one month.



3M #6054 Cartridges (K1)

SKU: SP6054

Description: Gas and Vapour cartridge with K1 filters protects against ammonia vapour hazards. Suitable for 3M™ 6000 and 3M™ 7000 Series Half and Full Face Masks. Bayonet fitting allows filters to be clicked into place for ease of fitting.

Sold Per: 1 pair



3M #6055 Cartridges (A2)

SKU: SP6055

Details: Suitable for 3M[™] 6000 and 3M[™] 7000 Series Half and Full Face Masks. Twin filter design offers good balance and an undisturbed field of vision. Gas and Vapour Cartridge 6055 protects against organic vapours.

Sold Per: 1 pair



3M #6055i Cartridges (A1)

SKU: SSP6055i

Description: The 3M 6055i Gas and Vapour Filter Cartridge with 3M™ Service Life Indicator 6055i offer the same A2 protection against organic gases and vapours (boiling point above 65° C) as the 3M™ Gas and Vapour Filters 6000 Series with the additional feature of the End of Service Life Indicator (ESLI). Gas & Vapour Service Life Filter 6055i contains a visual ESLI (end-of-service-life indicator) for certain organic vapours and exposure concentrations to help you determine when to change your filters. For use in concentrations of organic vapours.

3M #6057 Cartridges (ABE1)

SKU: SP6057

Description: Gas and Vapour Cartridge 6057 protects against inorganic vapours and acid gases, Organic vapours bp>65 degrees°C. Suitable for 3M™ 6000 and 3M™ 7000 Series Half and Full Face Masks. Bayonet-style for easy fitting. Twin filter design offers good balance and an undisturbed field of vision.

Sold Per: 1 pair



3M #6059 Cartridges (ABEK1)

SKU: SSP6059

Description: Gas and Vapour Cartridge 6059 protects against Acid Gas, Inorganic Vapours, Organic Vapours (bp>65 degrees°C), Ammonia and derivatives. Suitable for 3M 6000 and 3M 7000 Series Half and Full Face Masks. Bayonet fitting. Allows filters to be clicked into place for ease of fitting.

Sold Per: 1 pair



3M #6075 Cartridges (A1 + FORMALDEHYDE)

SKU: SP6075

Description: Gas and Vapour Cartridge 6075 protects against organic vapours & formaldehyde. Suitable for 3M™ 6000 and 3M™ 7000 Series Half and Full Face Masks. Bayonet fitting allows filters to be clicked into place for ease of fitting.



3M Particulate Filters





3M #5935 P3 Pre-Filters

SKU: SP5935

Details: These particulate filters protect against solids and liquid particles. Typical industrial applications for filters are: Pharmaceutical, powdered chemicals, construction, quarrying ceramics, refractory materials, foundries, agriculture, woodworking and food industry. Suitable for use with 3M™ 6000 Half Face and Full Face Masks. Bayonet fitting allows filters to be clicked into place for ease of fitting.



3M #5925 P2 Pre-Filters

SKU: SP5925

Details: Particulate Filter 5925 protects against solids and liquid particles. Typical industrial applications for filters are: Agricul-

Sold Per: 1 pair



3M #6035 P3 Particulate Filters

SKU: SP6035

Details: Particulate Filter 6035 protects against solids and liquid

Sold Per: 1 pair



#6038 Particulate Filters & Odour Protection

SKU: SP6038

Details: Particulate Filters 6038 protect against solids and liquid vapour and acid gases below OEL in a stable plastic cage for Hydrogen Fluoride, Hydrogen Fluoride Gas up to 30 ppm and relief from nuisance level, Organic Vapor, Ozone, organic vapours and acid gases below TLV. Solid and liquid particles—in solid plas-





3M #504 Respirator Cleaning Wipes

SKU: SP504

Description: The 3M™ Respirator Cleaning Wipes 504 clean and refresh elastomeric facepiece respirators, eliminating dirt and perspiration. For respirators worn by more than one person, these moist towelettes can be used between wearers for hygiene and sanitary protection. Each disposable towelette is sealed in its own protective wrapper for maximum freshness and moistness. The towelettes easily clean away lint and light dirt and contain no alcohol or harsh chemicals. Towelettes come 100 per box. Moist towelettes clean dirt and perspiration off facepiece respirators, Individually packaged and sealed to ensure uncompromised sanitary quality. Disposable, one-time-use for convenience and to prevent spread of germs.

Sold Per: 1 box of 100 wipes



3M #6000 Headstrap

SKU: SP6000

Description: Comfortable, soft and lightweight with easy-to-adjust headstrap.

Sold Per: 1 strap



3M #3500 Organic Vapour Monitors



SKU: SP3500

Description: The 3M[™] Organic Vapor Monitor 3500 uses the proven scientific principle of diffusion, which is the gradual mixing of molecules of two or more substances. It has a single charcoal sorbent wafer for easy collection of organic vapors and can be used for most applications. It has an 18-month shelf life. Simple and convenient. No batteries, hoses or pumps to operate. Easy to use. Just clip the monitor to shirt lapel, collar, or pocket. Versatile. 3M monitors can also be used for area monitoring, if sufficient air flow exists. 3M provides reference information needed to use the monitors. Analysis options. 3M monitors can be analyzed in the lab of your choice or returned to a 3M contracted lab for analysis. Confidence: Our testing facilities are accredited by the American Industrial Hygiene Association. Comfort: 3M monitors are small and lightweight and will not interfere with employee activities.

Sold Per: 1 monitor



3M #501 Retainer Clips

SKU: SP501

Description: The 3M 501 Retainer clip, Respiratory Protection System Component holds 3M™

Particulate Filters in place on top of 3M™ Respirators Cartridges.

Autodarkening Helmets



3M

#100V Speedglas

SKU: SP100V

Description: The 3M™ Speedglas™ SL Welding Shield is 25% lighter than any other Speedglas model. Designed specifically for quick welding tasks, a motion sensor automatically turns ON the welding filter when you pick up the shield. Appropriate for most arc welding processes – such as MMA, MIG/MAG, TIG and plasma welding. The Speedglas SL welding shield is made from a strong lightweight material, which provides excellent protection. Unlike other materials that can absorb moisture and become heavy, the Speedglas SL shield is non-absorbent, so it retains its performance in high humidity. The highly-affordable Speedglas 100 welding helmet has excellent optical quality, reliable light to dark switching and can be used with most arc welding.

Sold Per: 1 unit



3N

Speedglas Welding Helmet 9100 with ADF 9100V

SKU: SP9100V

Description: The Speedglas 9100V, dark shades 5, 8 13, sensitivity adjustment allows use with all Stick, MIG and TIG processes, also has grinding and torch cutting modes. All new headgear makes this helmet extremely comfortable and versatile. Viewing area 6.05. Has a 1.8 x 3.7 in. viewing area. The ADF battery life is 2800 hours. Filter Type: Auto-darkening. Headgear type: Welding Helmet

Sold Per: 1 unit



3M

Speedglas Welding Helmet 9100 FX Air, with filter 9100V and 3M™ Adflo™ PAPR

SKU: SP9100FXADF

Description: Includes a 17 x 10 cm clear visor for weld preparations. A flip-up combination of an auto darkening welding shield and a high impact protective visor. Factory calibrated Air Filter Unit with automatic airflow control circuitry and low flow alarm. NiMH Battery Pack with Smart Charger. Speedglas welding filter 9100V: variable dark shade 5, 8, 9-13 for most types of arc welding







Speedglas™ Welding Helmet 9100 Air with 3M™ Adflo™ PAPR

SKU: SP9100VADF

Description: Speedglas welding helmet with 9100V (45x93 mm) welding filter and Adflo powered air respirator. Variable shade 5, 8, 9-13. Possible to lock-in any shade, e.g. in the light state 3 when grinding. Delay function to set the dark-to-light opening time. Features: Eye & Face protection. Powered Air and Respiratory protection. Comes with 3 sensors and a side window. Used for Grinding, MIG/Mag, Plasma, Tack and Tig Welding.

Sold Per: 1 unit



Optrel

Vegaview 2.5

SKU: SPH1006600

Description: World record ADF with shade level 2.5 / 8–12. With its unrivaled brightest ADF view with shade level 2.5, Vegaview 2.5 improves the visibility of welders' environment by 400%. Thanks to a special UV/IR filter, the Vegaview 2.5 offers a real colour experience never seen before and finally brings colour into the world of welding. Weighting only 482 g. the Vegaview 2.5 is one of the lightest auto-darkening welding helmets available. Its ergonomic design minimizes strain on the head and neck, ensuring comfort throughout the work day. The Vegaview 2.5 is perfectly combined with the Optrel E3000 PAPR respiratory system. With its integrated high-performance particle filter (TH3), welders are adequately protected against smoke, aerosols, and dust.

Sold Per: 1 unit



Optrel

Crystal 2.0

SKU: SPH1006900

Description: With light transmission of 31% in bright condition (protection level 2) welders have for the first time a practically unclouded and clear view of their working environment. This in combination with the almost perfect colour spectrum of the CLT 2.0 for the first time allows welders to see what is really going on in the weld pool, and with a clarity that equates to insights into a new dimension. Welders describe this as an enlightenment.

PAPR & Hoods



Versaflo TR-315+ Turbo Unit Pack Out

SKU: SPTR315

Description: The 3M Versaflo (TR-315) powered respirator kit contains all the essentials to get you up and running with your first powered respirator (except for the hood). The Versaflo TR-315 is a lightweight design which is very well balanced for comfort all day long - especially in hot weather. The TR-315 includes both audible and visual alarms in case of low battery and/or low air flow making it one of the safest and reliable powered dust masks on the market. A variety of Versaflow headtops can be used. The Versaflo TR-300+ powered air system combines performance, protection and functionality with modern, stylish, lightweight design and unrivalled comfort. The powered Air Starter Kit TR-315 contains: TR-302E+ Turbo Unit | Particle Filter | Pre-Filter | Spark Arrestors | Standard Belt | High Capacity Battery | Battery Charger Kit | Length Adjusting Breathing Tube.

Sold Per: 1 unit



3M Versaflo Powered Air Turbo Starter Kit TR-619E

SKU: SPTR619

Description: The 3M[™] Versaflo[™] Powered Air Turbo Starter Kit TR-619E includes the TR-602E Turbo, A2P filter, filter cover, prefilters (x10), spark arrestor (x2), easy clean belt, high capacity battery, single station battery charger kit, BT-30 length adjusting breathing tube and airflow indicator. Approved to EN 12941 Class TH2 or TH3 dependent on headtop. Has three user selectable flow rates to maximise comfort. Battery type is Lithium-Ion. Filter type is A2P.

Sold Per: 1 unit

3M Jupiter Powered Air Turbo

SKU: SPJUPITER

Description: The 3M[™] Jupiter[™] Powered Air Turbo is a comfortable, easy-to-use unit that provides protection against particulates, gases or vapours, or against a combination of these depending on the types of filter used. An integrated acoustic and visual alarm indicates if airflow to the headtop is reduced or battery charge runs low. The Jupiter Powered Air Turbo is also available with an optional Intrinsically Safe (IS) kit. Ease of use- Electronic audible and visual alarm in case of low battery and/or low air flow. Comfort- Modern, ergonomic design. High comfort decontamination belt. Multiple Applications- IP53 rating. Suitable for shower decontamination. "Intrinsically Safe" (IS) Kit is available for use in potentially explosive atmospheres. The IS kit includes a pouch and an Intrinsically Safe battery which makes Jupiter turbo Ingress Protection IP63 rated when fitted. Safety- Approved to EN 12941 class TH2 or TH3 dependent on headtop.



3M

Versaflo Helmet with Shroud M-307

SKU: SP307

Description: The 3M[™] Versaflo[™] M-307 Helmet offers respiratory, eye (EN166 Medium Impact) and face protection as well as head protection (EN397), essential for areas where hard hats are mandatory. M-307 features a flame resistant faceseal for applications with hot particles. Modern, well balanced Head top. Highly versatile - Integrated protection from a range of respiratory, head, eye, face and hearing hazards. Comfortable, lightweight, with excellent balance. Self-adjustable suspension that includes textile straps for optimal fit and weight distribution. A deflector allows users to direct the airflow inside the head top for increased control and comfort.


Sold Per: 1 unit



SKU: SP407

Description: The 3M™ Versaflo™ Helmet with Shroud M-407 features a shroud in flame resistant Nomex® for applications with sparks and hot particles. Modern, easy to use and maintain Type 1 Industrial Safety Helmet with Neck and shoulder shroud. Visor design combines excellent peripheral and downward vision with good optical clarity. Lightweight with exceptional balance and wearer comfort. Respiratory with integrated high impact eye and head protection with neck and shoulder coverage. A deflector allows users to direct the airflow inside the headtop for increased control and comfort. Coated visor provides added chemical and scratch resistance. Accessories include ear-muffs, peel-off visor covers, comfort band and chin strap. Fully-adjustable suspension that includes textile straps for optimal fit and weight distribution.

Sold Per: 1 unit



SKU: SPS533L

Description: The 3M™ Versaflo™ S-Series High Durability Hood S-533 with Integrated Head Suspension and face seal is similar to the S-433 but with a more durable, soft, quiet, low-linting fabric that more readily drapes comfortably over the wearer. Soft, durable, low linting fabric. Head, Face, Neck and Shoulder coverage. No assembly required. Visor has a wide field of view, with reduced curvature for decreased reflections and glare. Provides excellent airflow distribution for improved comfort, lower noise and reduced fogging. Easy Disposal components can be separated. Ready to use out of the box. Sold Per: 1 unit

3M Hood with Integrated Head Suspension, S-433L

SKU: SPS433L

Description: : The 3M™ Versaflo™ S-Series Hood S-433 with Integrated Head Suspension and Face Seal offers head, face, neck and shoulder coverage, as well as providing eye and face protection to EN166 - liquid splash and low energy impact. General purpose, cost effective fabric. Head, Face Neck and Shoulder Coverage. No assembly required. Visor has a wide field of view, with reduced curvature for decreased reflections and glare. Provides excellent airflow distribution for improved comfort, lower noise and reduced fogging. Easy Disposal - components can be separated. Ready to use out of the box. Sold Per: 1 unit











3MSupplied Air Respirator System S-200+



SKU: SPS200

Description: The 3M™ Supplied Air Respirator System S-200+ is a comfortable and versatile supplied air respirator system for use with a wide range of 3M™ Half and Full Face Reusable Masks. The S-200+ System can be used as a standard airline respirator system or in dual-mode with filter back-up when air supply is disconnected. Engineered to deliver additional comfort and security, the S-200+ features double action safety couplings to help minimise the risk of accidental disconnection during use and an adjustable airflow feature so you can control the air across your face for maximum comfort. ATEX Tested- Assessed in accordance with the requirements of the ATEX directive and in accordance with EN13463-1 for nonelectrical equipment*. Suitable for use in IIB 2GD environments under certain conditions. *Valid only when fitted with a 3M™ 308-00-72P Antistatic Compressed Air Supply Tube. Quick and Easy Maintenance- Easy to maintain, spare parts are quick, easy and intuitive to replace. Cool and Comfortable- Lightweight and balanced system with a constant flow of air across the face for a cooler and more comfortable wear. Adjustable Airflow- Lockable airflow adjustment knob giving you full control of a range of input pressure.



3MAircare Filtration Units

SKU: SP1501640

Description: 3M™ Aircare™ Filtration Units can be combined with all 3M™ Supplied Air Respirator Systems. The three-stage filtration system supplies highest quality air to the Supplied Air Respirator System and compressed air tools by removing water and oil aerosols, particles and odours from the facility supplied compressed air. Three-stage filtration system supplies highest quality air to the supplied air respirator System and compressed air tools. Aircare Filtration unit can be combined with all 3M™ Supplied Air Respiratory Systems. Filtration Unit available as either a portable free-standing unit or wall-mounted unit.











3M

Roll-Down Earplugs

SKU: SP1100EP (UNCORDED) SP1110 (CORDED)

Description: Made from soft hypoallergenic PU foam material to provide maximum comfort and low pressure inside the ear. Soft foam earplugs that conform to the unique shape of each ear. Noise Reduction Rating (NRR)*: 29 dB. CSA Class AL.

Recommended Application: Assembly, Blasting, Cleaning, Demolition, Electrical, Facility Maintenance, Grinding, Machine Operations, Painting, Sanding, Welding.

Sold Per: 1 case of 200 uncorded & 100 corded earplugs

3M

E-A-R Soft Yellow Neon Earplugs

SKU: SP1250EP (CORDED) SP1250UNC (UNCORDED)

Description: 3M E-A-R soft Yellow Neon earplugs seal the earcanal with soft, slow-recovery foam for excellent noise reduction and comfort. The tapered earplugs are easy to roll down and insert, then expand within the ear canal for a comfortable, secure fit. These earplugs have a Noise Reduction Rating (NRR) of 33 dB.

Recommended Application: Assembly, mechanical, chipping, chiselling, cleaning, drilling, furnace operations, grinding, heavy equipment operations, machining, metal repair, painting, pouring/casting, power fastening, riveting, sanding, sawing and welding.

Sold Per: 1 case of 200 earplugs

3M

E-A-R Ultra Fit Corded Earplugs

SKU: SP3404004

Description: The 3M E-A-R Ultra Fit corded earplugs features a proprietary, premolded, triple-flange design that fits comfortably in most ear canals. The soft polymer earplugs are washable and reusable, so they don't need to be replaced as often, reducing waste and lowering costs. These soft polymer earplugs have a Noise Reduction Rating (NRR) of 25 dB.

Recommended Applications: Assembly, mechanical, chipping, chiselling, cleaning, drilling, furnace operations, grinding, heavy equipment operations, machining, metal repair, painting, pouring/casting, power fastening, riveting, sanding, sawing and welding, general manufacturing mining oil and gas, and transportation

Sold Per: 1 case of 100 earplugs

3M

E-A-R Soft Yellow Neon Earplug Refill

SKU: SPNEONBTL

Description: 3M™ E-A-R soft™ Yellow Neon™ earplugs in a refill container for One Touch™ dispensing. Yellow Neon™ earplugs seal the earcanal with soft, slow-recovery foam for excellent noise reduction and comfort. These uncorded foam earplugs feature soft, slow-recovery foam for comfort and outstanding noise reduction. Earplugs are easy to roll down and insert, then expand within the earcanal for a comfortable, secure fit. - Refill container for One Touch™ dispenser. One gentle turn delivers uncorded foam earplugs. - No packaging waste with each pair - Noise Reduction Rating (NRR)*: 33 dB. CSA Class AL - Test compatible with 3M™ E-A-Rfit™ Validation System *The NRR may overestimate the hearing protection provided during typical use. 3M recommends reducing the NRR by 50% for estimating the amount of noise reduction provided.

Sold Per: 1 bottle









Honeywell

Bilsom Uncorded Foam Earplugs

SKU: SPH1005073 | SPH1006186

Description: New yellow and white Leight Stripe delivers high degree of comfort and visibility when worn. Patented polyurethane foam expands gently in the ear canal, reduces tendency to back out of the ear canal, smooth, soil-resistant foam skin Prevents dirt or other substances from accumulating on skin or entering ear canal which promotes proper hygiene. Tapered bullet-shape design easier to roll-down and insert, adapts more evenly to shape of the ear canal. Ideal for medium/high noise environments.

Recommended Applications: Chemical, Construction, Government, Law Enforcement, Manufacturing, Medical, Municipal Services, Pharmaceutical, Transportation

Sold Per: 1 pack of 200 earplugs

Honeywell

Bilsom Corded Foam Earplugs

SKU: SPH1000106

Description: New yellow and white Leight Stripe delivers high degree of comfort and visibility when worn. Patented polyurethane foam expands gently in the ear canal, reduces tendency to back out of the ear canal, smooth, soil-resistant foam skin Prevents dirt or other substances from accumulating on skin or entering ear canal which promotes proper hygiene. Tapered bullet-shape design easier to roll-down and insert, adapts more evenly to shape of the ear canal. Ideal for medium/high noise environments.

Recommended Applications: Chemical, Construction, Government, Law Enforcement, Manufacturing, Medical, Municipal Services, Pharmaceutical, Transportation.

Sold Per: 1 box of 100 earplugs

Honeywell

Laser Lite Uncorded Foam Earplugs

SKU: SPH3301105 | SPH11013047 | SPH3301271

Description: Vibrant colours make protection visible. Self-adjusting polyurethane foam expands to fit virtually every wearer. Contoured T-shape for easy insertion and wear. Smooth, soil-resistant closed cell-foam skin prevents dirt build-up. Bulk refills for Leight Source 400 and Leight Source 500 Earplug Dispensers save time, waste and space.

Recommended Applications: Agriculture, Chemical, Construction, Fire Protection, Forestry, Government, Law Enforcement, Manufacturing, Medical, Military, Mining, Municipal Services, Oil and Gas, Pharmaceutical, Steel and Metals, Transportation, Utilities, Welding Sold Per: 1 pack of 200 earplugs or box of 500 earplugs

Honeywell

Laser Lite Corded Foam Earplugs

SKU: SPH3301106

Description: Vibrant colours make protection visible. Self-adjusting polyurethane foam expands to fit virtually every wearer. Contoured T-shape for easy insertion and wear. Smooth, soil-resistant closed cell-foam skin prevents dirt build-up. Bulk refills for Leight Source 400 and Leight Source 500 Earplug Dispensers save time, waste and space.

Recommended Applications: Agriculture, Chemical, Construction, Fire Protection, Forestry, Government, Law Enforcement, Manufacturing, Medical, Military, Mining, Municipal Services, Oil and Gas, Pharmaceutical, Steel and Metals, Transportation, Utilities, Welding. Sold Per: 1 case of 100 earplugs



Honeywell Smartfit Triple Flanged Earplugs

SKU: SP1028476

Description: Conforming Material Technology Thermoplastic Elastomer (TPE) adapts plug to the contours of the ear canal for a more personalized fit, feels better the longer you wear it. Flat Fin Seal creates better seal, more comfortable inside the ear canal. Flanged Handle for easy handling. Detachable Cord allowed for corded or uncorded wear choice. Smartfit uses body heat to adapt to the shape of the ear canal.

Recommended Applications: Industry, Administration, Agriculture, Army – Defence, ATEX environment, Automotive and Part Manufacturer, Aviation, Building and Construction, Catering, Chemical Industries, Energy or Electricity, Fire Protection brigades, Fishing, Food Industries, Foundry, Glass Industries, Green Spaces, Homeland defence, Industrial Cleaning, Iron and steel industry, Laboratory, Logistics, Maintenance, Medical and Pharmaceutical, Metal steel, Mining and Quarrying, Offshore, Paper Industries, Petro-chemical, Printing Industries, Services, Ship Building, Telecoms, Textile Industries, Transportation, Utilities, Water treatment, Welding, Wood Industries.

Sold Per: 1 Box of 100 earplugs



3M Earplug Dispenser

SKU: SPEARDISP

Description: Dispenser for dispensing uncorded

earplugs.

Sold Per: 1 dispenser



Howard Leight by Honeywell QB3 Banded Earplugs

SKU: SPQB3

Description: SEMI-AURAL protection, smooth, ergonomic ear pods fit rest outside of the opening of the ear canal for reliable banded protection. Patented band design prevents ear pods from touching dirty or contaminated surfaces when set down. Lightweight and portable. Designed especially for environments with intermittent noise hazards.

Sold Per: 1 unit



Howard Leight by Honeywell QB2 Banded Earplugs

SKU: SPOB2

Description: The patented band of these hearing protectors is specially designed to keep the ear pads from coming in contact with dirty or contaminated surfaces when hearing protection is not being worn. The soft foam ear pads fit easily inside the ear canal opening to provide comfortable supra-aural protection. One pair replacement pads included.

Sold Per: 1 unit



Howard Leight by Honeywell Leight Source 400 Earplug Dispenser

SKU: SPN1013040

Description: Dispenser for dispensing uncord-

ed earplugs.

Sold Per: 1 dispenser



3M H10A Earmuff

SKU: SPH10AMUFF

Description: The 3M Peltor Optime 105 Over-the-Head Earmuff has been developed for effective hearing protection in the most demanding noise environments where noise exposures are expected to reach as high as 105 dBA. The Optime 105 over-the-head earmuff features added mass and volume, plus a unique "double-shell" earcup design (two cups connected via foam inner layer) to boost the noise reduction throughout the full range of low and high frequencies. The durable stainless steel headband resists bending and warping and distributes weight for a low-pressure fit. The lightweight headband works in conjunction with earcup pivot points that tilt to maximize wearer comfort. Soft, liquid & foam filled cushions help the earmuffs fit comfortably against the head to help provide an effective noise-blocking seal. Noise Reduction Rating (NRR) of 30 dB*, highest available in over-the-head style earmuffs.





3M H10PE3 Cap Mount Earmuffs

SKU: SPH10P3E

Description: For noise levels up to 105 dBA. These cap earmuffs are attached with double-shell technology to provide effective hearing protection. Proprietary Twin-Cup(TM) design has soft, foam-filled earmuffs. Easy cap-mount design. Earcup pivot points that tilt for optimum comfort and efficiency. Liquid/foam filled earmuff cushions. Color-coding to help match attenuation needs. Noise Reduction Rating (NRR)*: 27 dB. CSA Class AL.

Sold Per: 1 unit



3M H9A Optime Banded Earmuff

SKU: SPH9AMUFF

Description: A versatile, over-the-head earmuffs featuring a stainless steel headband for consistent force and effective hearing protection For noise levels up to 98 dBA. Stainless steel construction resists bending and warping. Earcup pivot points tilt for optimum comfort and efficiency. Ultra light with liquid/foam filled earmuff cushions. Color-coding for compliance sighting. Noise Reduction Rating (NRR)*: 25 dB. CSA Class A.


Sold Per: 1 unit



3M H505 Welding Earmuffs

SKU: SPH505B

Description: The 3M™ Peltor™ Welding Helmet Earmuff H505B features a low-profile design that fits comfortably under most welding helmets, as well as a semi-soft cup surface that minimizes scratch sound transmission. With a two-point suspension for balanced pressure distribution, this advanced earmuff delivers the comfortable protection that professionals need in a wide range of welding environments. The H505B earmuff helps reduce exposure to the loud noises associated with welding, cutting or grinding. Its slim design allows it to fit under most welding helmets, particularly 3M Speedglass.



3M Optime Push to Listen Earmuffs



SKU: SPXSFEARMUFF

Description: The 3M Peltor Optime Push To Listen (PTL) Ear Muffs are fitted with a simple sound reproduction facility to enable better speech intelligibility when used in a noisy background. By simply pressing a button located on the outside of the cup, the product allows you to listen to important speech conversation against a noisy background. This feature helps facilitate the need for communication without having to remove the ear muffs from the ears. The electronic sound reproduction function is built into one cup only. Simply push the button to listen, opening up the ear muffs for communication. The electronic function can last up to 30 seconds from time of activation, but can be de-activated at any time during the 30 second period.

Sold Per: 1 unit



H10 & H9 Hygiene Kits

SKU: SPHY10KIT | SPHY9KIT

Description: Extend the life of earmuffs with 1 pair of replacement cushions and 1 pair of

dampers. Sold Per: 1 unit



Impact Sport Earmuff



SKU: SPH1034490

Description: Impact Sport blocks impact noise from gun shots and heavy impact noise machines. It's patented sound amplification enhances the wearer's awareness of their environment by amplifying ambient sounds, allowing them to hear important communication. Sound amplification volume does not exceed 82 dB – response technology revert to passive hearing protector when noise reaches 82 dB. Directionally placed stereo microphones provide more natural hearing. Ideal for hearing-impaired workers. Bilsom's patented Air Flow Control technology delivers optimal attenuation across all frequencies, without increasing earcup size or weight. A patented baseplate chamber and high-tech non-woven layer manage the flow of air inside the earmuff to control how sound reaches the ear. The result is better, more consistent overall attenuation for virtually all industrial noise environments. Air Flow Control is a standard feature on all Impact series earmuffs. Make replacement quick and easy.

Colours: Black, Camouflage, Pink & Green.

Sold Per: 1 unit





SKU: SPH3302152

Description: Ultra lightweight design, Multiple-position headband allows wearer to select position over the head, behind the head or under the chin, Alternative to cap-mounted earmuffs – wear with hard hats, face shields, respirators and other PPE. Dielectric construction suitable for electrical environments.



3M™ PELTOR™ LiteCom Pro II Headset Atex Approved, Neckband, 2-Way Radio

SKU: SP7H7B4010

Description:

An intrinsically safe communication headset with high attenuation hearing protection and short-range built-in communication radio. The communication radio is designed for either stand alone or integration into industrial or other professional communication systems.

Sold Per: 1 unit



3M™ PELTOR™ LiteCom Pro II Headset Atex Approved, Helmet Mounted, 2-Way Radio

SKU: SP7H7P3E

Description:

An intrinsically safe communication headset with high attenuation hearing protection and short-range built-in communication radio. The communication radio is designed for either stand alone or integration into industrial or other professional communication systems.

Sold Per: 1 unit



3M™ PELTOR™ IS External PTT

Connects to Socket in Base of Headset

SKU: SP560250

Description:

Connect to a 3M™ PELTOR™ Intrinsically Safe approved headset. It is the communication solution for most environments, where there is danger of explosion. PELTOR's FL5000 PTT adapter series offers the optimum adaptation of PELTOR headsets to most communication radios on the market.

3M™ PELTOR™ SportTac™ Hearing Protector 26DB Foldable Green Cuos

SKU: SP16H210F

Description:

The 3M™ PELTOR™ SportTac™ is an intelligent active hearing protector especially developed for hunters and shooters. The smooth adjustment of the hearing protector' level dependent function gives the user particularly pleasant sound reproduction and less interference. The electronics respond at lightning speed and protect the user's hearing from loud impulse noises.

Sold Per: 1 unit



3M™ PELTOR™ ProTac Active Listening Headset Neckband, No Jack

SKU: SP7H7B4010

Description:

3M[™] Peltor[™] Tactical[™] products are invaluable tools for people who are subjected to impulse noises. The active-volume function lets you hear ambient noises, such as conversations, machine sounds, warning signals etc. Soft sounds are amplified, so you hear them even better than you would without hearing protectors

Sold Per: 1 unit



3M™ Peltor™ ORA TAC In-Ear Tactical Communications Headset ORA-BASE

SKU: SP7H7P3E

Description:

The 3MTM PeltorTM ORA TAC duaL-sided in-ear tactical communications headset provides clear communication with tactical features when attached to a 2-way radio. It provides protection from high noise in a variety of environments and provides protection from impulse noises when they occur.





Honeywell Dexigrip Glove

SKU: SPH2094140

Features: Handling of abrasive objects in a damp and non-greasy environment. **Benefits**: Excellent non-slip qualities.

Sold Per: 1 pair



Honeywell Polytril Mix Glove

SKU: SPH2232233

Features: The gloves combine mechanical resistance and dexterity. Excellent impermeable properties to oils. Mechanical assembly and subcontracting (automotive industry). Con-

struction and public works.

Benefits: Fine handling in a dry, greasy, damp

and dirty environment.

Sold Per: 1 pair



Honeywell

Flexinite Grip Glove

SKU: SPHGLO300

Details: Flexinite Grip. Black nitrile coating on seamless polyamide liner. Ideal in dry and light oil environments. Excellent abrasion and dex-

terity. Breathable and launderable.

Sold Per: 1 pair



Honeywell

Dexpure 800-91 Glove

SKU: SPH4580091

Features: AQL 1.5 and food handling certified: guarantees a high level of quality and contact with foodstuffs (non-damaging to health. Glove components do not migrate towards food). Ref. 537 et 758: applies to those allergic to Latex. Very fine touch. Available in sizes S – XL. Benefits: Protection of hands and objects.

Single use gloves. Sold Per: Box of 100



Honeywell

Sharpflex Latex Glove

SKU: SPH22232525

Features: Lightweight thermal protection (100°C) thanks to Kevlar®. Excellent fit and high dexterity. The para-arania yarn assures

resistance to heat and cut risks.

Benefits: Nitrile coating provides good protection against oil and grease. The foam coating makes the glove more flexible than standard nitrile.

Sold Per: 1 pair



Honeywell

Polytril Flex Gloves

SKU: SPH2332663

Features: The gloves combine mechanical resistance and dexterity. Excellent impermeable properties to oils. Mechanical assembly and subcontracting (automotive industry). Con-

struction and public works.

Benefits: Fine handling in a dry, greasy, damp

and dirty environment.



Honeywell Green Welding Glove

SKU: SPH2000042

Features: Highest quality leather and stitching

for an extended lifespan.

Benefits: Welding and heavy handling.

Sold Per: 1 pair



Honeywell Blue Welding Glove

SKU: SPH2000044

Features: Highest quality leather and stitching

for an extended lifespan.

Benefits: Great for welding and heavy handling.

Sold Per: 1 pair



Honeywell Migfit Glove

SKU: SPH2058691

Features: Highest quality leather and stitching

for an extended lifespan.

Benefits: Welding and heavy handling.

Sold Per: 1 pair



Honeywell

Chainex Glove with Textile Strap

SKU: SPH25002R0302

Features: Exceptional quality of the Chainex chainmesh. Extra smooth textile straps, Re-

versible model.

Benefits: The gloves adapt to all morphologies and guarantee comfort and ergonomics, Easy

to use.

Sold Per: 1 pair



Honeywell Electrosoft Range | Class 00 - Class 4

SKU: SPH2091903

Features: Available in beige or red with a rolled or cut edge. The natural Latex base offers excellent dielectric characteristics. An ergonomic design increases comfort by providing additional softness.

Used With: Leather protectors for mechanical

protection. Sold Per: 1 pair



Honeywell Aracut Sleeves II

SKU: SPH4150055

Features: The double thickness improves the cuff's mechanical and thermal performances. The knitting technique helps to obtain a cuff close to the hand, with good dexterity. The glove offers maximum comfort and added sturdiness. The reinforced thumb gives the cuff better support.

Benefits: Handling sharp and/or hot objects. Good cutting resistance and protection against thermal hazards (contact with heat).

Sold Per: 1 pair

27





Granberg

Conqueror Glove

SKU: SPG1140822

Description: Sandy nitrile coating, High durability and abrasion resistance, Highly dexterous, Well fitted and soft. Economical industrial packaging.

Used For: Construction business | Mechanical and automotive | Detailed assembly | Inspection | Handling small parts and more

Sold Per: 1 pair



Granberg

Assembly Profit Glove

SKU: SPG1140933

Features: Patented nitrile foam coating, great oil grip, wet grip, and dry grip. Excellent abrasion resistance combined with dexterity and breathability. Patented micro-capillary nitrile foam technology, ANTIWET treated, sanitized to prevent bacteria growth and promote freshness.

Used For: Assembly and finishing | Metal fabrication | Assembly of white goods | General site & factory maintenance | Warehouse work and general handling.

Sold Per: 1 pair



Granberg

Assembly Glove

SKU: SPG1014295

Features: Pig grain leather with cotton back and Velcro closure, winter lined. Ideal for work that requires precision and touch sensitivity. Provides thermal insulation.

Used for: Assembly/fine work in cold conditions.

Granberg Gloves



Granberg

Assembly Winter Glove

SKU: SPG1140488

Features: Special nitrile foam coating. Durable. Warm, fitted and very comfortable. Warm brushed acrylic on inside, strong pylon outer shell.

Used for: Refrigerated display counter and cold storage rooms. Outdoor assembly, Inspections, Handling small parts.

Sold Per: 1 pair



Granberg

Assembly Profit Glove

SKU: SPG1140933

wet grip, and dry grip. Excellent abrasion resistance combined with dexterity and breathability. Patented micro-capillary nitrile foam technology, ANTIWET treated, sanitized to prevent bacteria growth and promote freshness.

Used For: Assembly and finishing | Metal fabrication | Assembly of white goods | General site & factory maintenance | Warehouse work and general handling.

Sold Per: 1 pair



Assembly Winter Gloves Black Diamond, Oeko-Tex® 100

SKU: SPG116548

Description: Typhoon® fibre with nitrile coating, oil resistant, Especially abrasion and tear resistant, Great protection against cuts and punctures, Fitted with great touch sensitivity, Typhoon® is one of the strongest fibres in the world

Used For: Assembly work with extremely high requirements to abrasion resistance and where there is great risk of cut injuries.









Granberg

Assembly Glove

SKU: SPG1140490

Description: Double nitrile coating, waterproof. Highly durable. Coated with a thin layer of sky-blue waterproof nitrile coating. Black sandy foam overdip ensures excellent wet, dry and oily grip. Good dexterity and fit. Sanitized® treated to prevent bacteria growth and promote freshness.

Used For: Mechanical and automotive. Oil and Gas indus-

try Refineries Construction business

Sold Per: 1 pair

Granberg

Cut Resistant Protector Glove

SKU: SPG1160995

Description: Mixed fibres and polyurethane coating, Highly durable, Excellent protection against cuts and punctures, Good touch sensitivity, Economical version. **Used For**: Assembly work with high requirements to abrasion resistance and where there is risk of cut inju-

Sold Per: 1 pair

Granberg

Cut Resistant Protector Glove

SKU: SPG1160549

Description: Typhoon® fibre. Dotted palm. Highly durable. High cut resistance. Lycra® in the liner as well as the elastic nitrile foam coating provide outstanding flexibility and fit.

Used For: Areas with high risk for cuts and for users who prefer 360° coating. Handling of glass sheets, sharp-edged objects. Assembling metal parts and components, Cutting of dry or oiled parts.

Sold Per: 1 pair

Granberg

Cut Resistant Glove

SKU: SPG116591

Description: Typhoon® material, polyurethane coating. Very good protection against cut injuries (EN 388:2016 level D) combined with high abrasion resistance. Especially good flexibility and freedom.

of movement and very comfortable (18-gauge thread technology). Reinforced thumb crotch provides extended use life. Ideal for precision handling in dry or wet conditions. Typhoon® is one of the strongest fibers in the world.

Used For: Works tasks with very high requirements for cut protection and exceptionally high demands for touch sensitivity — primarily dry conditions.







Granberg

Cut Resistant Protector Glove

SKU: SPG116548

Description: Typhoon® fibre with nitrile coating, oil resistant, Especially abrasion and tear resistant, Great protection against cuts and punctures, Fitted with great touch sensitivity, Typhoon® is one of the strongest fibres in the world.

Used For: Assembly work with extremely high requirements to abrasion resistance and where there is

Sold Per: 1 pair

Granberg

Cut Resistant Protector Glove

SKU: SPG116541

Description: Especially abrasion and tear resistant. Fitted with great touch sensitivity. Typhoon® is one of the strongest fibers in the world.

Used For: Assembly work with extremely high requirements to abrasion resistance and where there is risk of cut

Sold Per: 1 pair

Granberg

Cut Resistant Inner Gloves Protector

SKU: SPG116501

Description: Typhoon®. Durable. Highly recommended as a cut-resistant liner gloves with single-use gloves and reusable gloves. Provides cut resistance barrier as well as finger sensitivity. Ambidextrous.

Used For: In the meat industries, catering, fish processing industries and other food industries where knives or other sharp objects are handled.

Sold Per: 1 pair

Granberg

Cut Resistant & Flame Retardant Glove

SKU: SPG1160559

Features: Neoprene coating. Durable, flame and cut resistant liner made of mixed Kevlar®, aramid, glass and polyester yarns. Great dry grip and sound wet

grip.

Used For: Oil and gas industry | Petrochemical | Utilities | Mining industry | Construction | Metal industry |



Granberg Cut Resistant Impact Hi-Viz Glove

SKU: SPG1159007

Features: Typhoon® fibre with nitrile coating, oil resistant, flexible. Excellent cut protection, powerful impact protective details on back of hand. Used For: Extreme working conditions for oil and gas drilling, extraction and refining | Mining | Demolition | Rigging | Heavy construction | Tool pushing etc.

Sold Per: 1 pair



Granberg Cut D Hi-Viz Impact Glove

SKU: SPG1159001

Features: Durable KR-Grip™ material in palm and fingers. Powerful cut resistant insert in the palm. Powerful but soft impact protection on back of hand. High visibility colours for increased safety. Designed for optimal ergonomics.

Used For: Extreme working conditions for oil and gas drilling, extraction and refining | Shipping | Trawlers | Mining | Demolition | Rigging | Heavy

construction | Tool pushing etc

Sold Per: 1 pair



Granberg

Cut 5 Impact Hi-Viz Protective Glove

SKU: SPG1159002

Features: Durable KR-Grip™ material in palm and fingers, waterproof, winter lined. Powerful cut resistant insert in palm and cuff, exceeding EN 388 cut level 5. Warm Fleece lining. Neoprene cuff provides comfort and wrist protection.

Used For: Extreme working conditions within oil and gas industry. Shipping. Trawlers. Mining industry and related industries with very high demands for hand protection.

Sold Per: 1 pair



Granberg

Cut F Impact Hi-Viz Protective Glove

SKU: SPG1159003

Features: Typhoon® material, polyurethane coating. Kozane® cut resistant insert in the palm, exceeding EN 388 cut level F. Kozane® is an innovative high-tech material with greater cut, abrasion and slash resistance than any other textile or fabric in its class.

Used For: Extreme working conditions for oil and gas drilling, extraction and refining. Shipping. Trawlers. Mining. Demolition. Rigging. Heavy construction. Tool pushing etc.

Sold Per: 1 pair



Granberg

Impact and Chemical Protective Glove (39cm)

SKU: SPG1159011

Features: Typhoon® fibre liner. Nitrile coating provides wide range of chemical protection. Outstanding palm grip to handle slippery and/or oily objects. Powerful impact protective details on back of hand.

Used For: Work on drill floors when in contact with oil mud and other lubricants and chemicals.

Sold Per: 1 pair



Granberg

Impact and Chemical Protective Glove (32cm)

SKU: SPG1159012

Features: Typhoon® fibre liner. Nitrile coating provides wide range of chemical protection. Outstanding palm grip to handle slippery and/or oily objects. Powerful impact protective details on back of hand.

Used For: Work on drill floors when in contact with oil mud and other lubricants and chemicals.



Granberg atex Chemical Resistant Chemstar Glove.

SKU: SPG1120122

Features: Cotton flock lined, tear-resistant beaded cuff for easy donning, anti-slip pattern for good grip in wet and dry conditions. Used For: Handling meat and fatty foods | Pharmaceutical industry | Cleaning | Light as-

sembly | Laboratories. Sold Per: 1 pair



Granberg

SKU: SPG1140630

Features: Interlock lined, durable, protection against chemicals, diesel fuel, petrol and oil. 3-4 times longer life-span than equivalent vinyl/PVC gloves.

Used For: Direct contact with all types of food I Oil and petrochemical industry | Fishing/fish farming | Handling shellfish | Deck work.

Sold Per: 1 pair



Granberg

SKU: SPG1098135

Features: Seamless nylon liner, highly durable, soft with outstanding grip in dry, wet & oily conditions. Special double-dipped vinyl/PVC coating, REACH-compliant.

Used For: Refining - Oil & Petrol | Handling acids, caustics and solvents | Petrochemicals |

Public utilities. Sold Per: 1 pair



Granberg

SKU: SPG114960

Description: Nitrile, powder free. Orange colour, ambidextrous, patented fish scale print on both sides of gloves for optimal grip. Tear-resistant beaded cuff for added protection from potential chemical spills and drips. Used For: Automotive industry | Mechanical workshops | Light assembly | DIY shops |

Chemical industry, etc.

Sold Per: 1 pair



Granberg

SKU: SPG1146000

Features: : Seamless polyester liner. Excellent grip enables users to handle dry, wet or oily objects with ease. Reliable chemical Type A protection. Extra softness and flexibility. Special double-dipped sandy nitrile coating on the palm. Used For: Petrochemical Industry. Aerospace and mobile industry. Printing industry. Metal fabrication. Public utilities. Industrial cleaning.

Sold Per: 1 pair



Granberg

SKU: SPG1142000

Description: Unsupported, cotton flock lined. Durable. High chemical resistance. Anti-slip pattern for good grip in wet and dry conditions. Pure cotton flock liner to absorb perspiration. Used For: Automotive Industry, Chemical Industry. Industrial Cleaning. Oil Refining.









Granberg

Nitrile Chemical Resistant Glove Chemstar

SKU: SPG1141000

Features: Unsupported, cotton flock lined. Specifically designed to provide high durability and protection against solvents. Anti-slip pattern for good grip in wet and dry conditions. Approved to be used in direct contact with all types of food, including fatty foods.

Used For: Industrial cleaning. Petrochemical Industry. Aerospace and automobile industry. Printing industry. Surface coating. Metal fabrication. Food industry.

Sold Per: 1 pair

Granberg

Nitrile Chemical Resistant Gloves Chemstar

SKU: SPG1143230

Features: Unsupported, unlined. Special nitrile formulation to provide protection against a wide range of Ketones, such as e.g. Acetone and MEK. Lightweight and touch sensitive. Anatomically shaped for comfort. Minimal allergy risks.

Used For: Ink and paint industries. Manufacturing of gums, resins and composite material. Metal treatment using solvents. Printing Industry. Manufacture of plastics. Handling of ketones in Jahoratories.

Sold Per: 1 pair

Granberg

Vinyl/PVC Chemical Resistant Gloves Chemstar

SKU: SPG1093040

Features: Double-dipped 40 cm. Jersey liner. Highly durable. Good protection against oil and grease. Gloves can be used for handling acids/bases. Anti-bacteria treated

Sold Per: 1 pair

Granberg

Cut and Chemical Resistant Vinyl/PVC

SKU: SPG1168150

Features: Gauntlet version on cotton/Lycra® liner with Typhoon® insert. Highly durable. Comfortable. Soft, seamless cotton/Lycra® liner. With Typhoon® insert assuring the glove achieve cut level 5. Outstanding grip in dry, wet & oily conditions. Special double-dipped vinyl/PVC coating. REACH compliant.

Used For: Fishing industry and other industries where there is high risk of injury from cuts. Refining – Oil & Petrol. Handling acids, caustics and solvents. Petrochemicals. Public utilities.







Granberg

Fisherman's Glove

SKU: SPG1098400

Features: VINYL/PVC with granulation, interlock liner. Highly durable. For handling slippery objects. Heavy granulation provides good grip. Interlock liner. Sanitized® treated to prevent bacteria growth and

promote freshness.

Used For: Handling slippery objects and for general

work in wet environments.

Sold Per: 1 pair

Granberg

Single-Use Chemical Resistant Glove Chemstar

SKU SPG114970

Description: Nitrile, powder free. Black colour. Ambidextrous. Patented fish scale print on both sides of gloves for optimal grip. Perfect for oily, wet and dry conditions. Tear-resistant beaded cuff for added protection from potential chemical spills and drips. Extra comfortable if used with inner glove. Does not contain silicone.

Used For: Automotive industry. Mechanical workshops.

Sold Per: 1 pair

Granberg

Single-Use Glove

SKU: SPG114955

Description: Nitrile, powder free. blue colour, 30 cm length. Patented fish scale print on both sides of gloves for optimal grip. Tear-resistant beaded cuff for easy donning, Extra comfortable if used with inner glove. Weight 11.4 + 0.3 g

Used For: Handling meat, fish, poultry and other fatty

foods | Cleaning | Light assembly

Sold Per: 1 pair

Granberg

Welder's Glove

SKU: SPG1061690

Features: A-grade cow split leather, fully lined, sturdy, long-life welding gloves, designed with thumb base area reinforcement, sewn with strong, heat-re-

sistant Kevlar® thread.

Used For: Varied welding in steel, aluminium and

other metals | Cutting | Grinding, etc.



Granberg ssembly Gloves

SKU: SPG1144270

Features: Full nitrile micro-foam coating, unlined, high durability, dexterity and tactile sensitivity, resistant to contact heat up to 100°C for 15s, water and oil repellent.

Used For: Light and medium fabrication | General assembly | Automotive manufacturing | Motor mechanics for handling hot parts.

Sold Per: 1 pair



GranbergAssembly Winter Glove

SKU: SPG1088080

Features: Double latex coating, waterproof, comfortable and durable, coated with a thin layer of blue waterproof latex coating. Black sandy latex foam overdip ensures excellent wet, dry and oily grip.

Used For: Construction business | Heavy duty work | Assembly of components | Shipping | Oil and gas industry | Cold Storage | Food industries

| Outdoor winter use. Sold Per: 1 pair



GranbergAssembly Winter Glove

SKU: SPG1144270

Features: Special nitrile foam coating, Durable, Warm, fitted and very comfortable, Warm brushed acrylic on inside, strong nylon outer shell

Used For: Refrigerated display counter and cold storage rooms | Outdoor assembly | Inspections | Handling small parts.

Sold Per: 1 pair



Granberg Vibration Reducing Work Glove EX

SKU: SPG1074330

Features: MacroSkin Pro® material with Spandex® back and Velcro closure, unlined. Reduces the risks of Hand-Arm Vibration Syndrome. Provides protection at a broad spectrum of frequentiates.

Used For: Work using jackhammers, impact drills, impact wrenches, sanders, plate compactors, concrete saws and other vibrating tools.

Sold Per: 1 pair



GranbergTactical One Glove for Shooting

SKU: SPG1192201

Features: Goatskin, partial Kevlar® lining. Kevlar® lining in the palm area only (not in fingers) protects from heat and cuts. Single layer of goatskin leather provides excellent touch sensitivity in fingertips. Breathable nylon mesh on back of hand keep hands cool and dry.

Used For: Law enforcement. Military. Special

forces. Police. Security.

Sold Per: 1 pair



Granberg Fast Rope Tactical Glove

SKU: SPG1192202

Features: Full Kevlar® lining in palm and fingers protects from heat and cuts. Goatskin leather provides excellent touch sensitivity. Leather reinforcements in palm are following palmar flexion creases and provide rappelling control.

Used For: Working at height | Rope rescue | Fast rope operations | Law enforcement | Military |

Special forces | Police | Security.



Granberg **Tactical Rescue Glove**

SKU: SPG1192209

Description: Goatskin, full Kevlar® lining. Premium grade black goatskin palm and fingers. Kevlar® lining in palm and fingers as well as additional layers in the critical areas provide protection against extreme abrasion, extreme heat and potential sharp objects.

Used For: Controlling a hoist cable during rescue operations from military or civil helicop-

ters, as well as fire rescue.

Sold Per: 1 pair



General Black Rubber Gloves

SKU: SUGBLACKRUE / SUGBLACKRUS Description: Beaded rubber glove available in elbow and shoulder length. An unsupported medium weight rubber glove with beaded cuff. Used For: Handling acids and bases.

Sold Per: 1 pair



General

SKU: SUGPVCRED

Features: A fabric reinforced PVC dip coated glove with Hygesan formula.

Used For: General handling applications and the handling of chemicals. Not suitable for Chloroform, Ethyl Ether, Nitric Acid, Paint Remover, Perchloroethylene, Trichloroethylene. Not suitable for heat or cold.

Sold Per: 1 pair



General Red PVC Knitted Wrist

SKU: SUGPVCW Description: A fabric reinforced PVC dip coated glove with Hygesan formula. General handling applications, also when a worker works or handles chemicals. Not suitable for Chloroform, Ethyl Ether, Nitric Acid, Paint Remover, Perchloroethylene, Trichloroethylene. Not suitable for heat or cold.

Sold Per: 1 pair



General Green Nitrile Gloves

SKU: SUGNITRILE

Description: A flock lined Nitrile glove that offers good protection against acids, bases, and solvents. Free of latex proteins which can cause allergic reactions.

Used For: Chemical and food industries, laboratories, assembly and cleaning. Not suitable for heat or cold. Available from sizes S - XL.

Sold Per: 1 pair



General Blue Nitrile Knit Wrist Glove

SKU: ZSPGLOVB

Description: Blue, 100% Nitrile fully coated fleeced cotton liner for comfort with knitted wrist. Designed for high durability & dexterity.

Sold Per: 1 pair



General Red PVC Rough Palm Glove

SKU: SPPVCROUGH

Description: Heavy weight rough finish, elbow length. Triple-dipped PVC provides excellent resistance to most alcohols, glycol ethers, oils, acids, and fats. Textured finish offers greater grip.

Sold Per: 1 pair



General Yellow Household Glove

SKU: SUGH/HY

Description: Yellow household gloves available from sizes S -



General

Candy Stripe Chrome Leather Glove

SKU: SUGCANDY

Description: Cow hide leather palm glove with

striped canvas backing

Used For: Used as a general handling glove. Not to be used with chemicals or for heat re-

sistant applications. Sold Per: 1 pair



GeneralCandy Stripe Pig Skin Glove

SKU: SUGPIGSKIN

Description: Pigskin leather palm glove with

striped canvas backing.

Used For: Used as a general handling glove. Not to be used with chemicals or for heat resistant

applications. Sold Per: 1 pair





General

Candy Stripe Reinforced Palm Glove

SKU: SUCANDYRE

Description: Cow hide Leather reinforced palm

glove with striped canvas backing.

Used For: Used as a general handling glove. Not to be used with chemicals or for heat re-

sistant applications. Sold Per: 1 pair



GeneralGreen Welding Glove

SKU: SUGWELD

Description: 20 cm All cow leather glove with full cotton lining that can withstand heat of be-

tween 140-175°C.

Used For: Used as a general handling welding glove. Not to be used with chemicals of any sort. Suitable for general cold application.

Sold Per: 1 pair



GeneralGreen Welding Glove

SKU: SUGWELD6CM

Description: 6 cm All cow leather glove with full cotton lining that can withstand heat of be-

tween 140-175°C.

Used For: Used as a general handling welding glove. Not to be used with chemicals of any sort. Suitable for general cold application.

Sold Per: 1 pair



General

Red Heat Resistant Glove

SKU: SUGHEATRES

Description: Lined Welder's Heat Resistant Glove 30cm. Red all cow leather glove with double apron, cotton and foam lining and Kevlar yarn. Can withstand contact heat up to

500°c.

Used For: Used for high heat welding and furnace work. Not to be used with chemicals of any sort. Not suitable for cold application.



General Crayfish Glove

SKU: SUGCRAYFISH

Description: Polycotton knitted glove with

rubber palm coating.

Used For: Used as a general handling glove providing excellent abrasion protection and superior grip. Not to be used for chemical or heat resistant applications. Not suitable for

heat or cold. Sold Per: 1 pair



General

Latex Gripper Glove

SKU: SPGGRIPPER

Description: Heavy Duty and Waterproof, textured latex palm and fingers, textured coating improves your dexterity and grip and has excellent grip on slippery objects,

Used For: Agriculture, cold storage, construction, general handling, metal handling and steel handling.

Sold Per: 1 pair



GeneralComarex Safety Cuff Glove

SKU: SUGCOMAREX

Description: A cut resistant short latex glove with canvas cuff. Natural Latex wrinkle finish coating. Jersey liner. Excellent grip. Also available in knit wrist.

Used For: For protection against cuts, abrasion and puncture. Not suitable for heat or cold.

Sold Per: 1 pair



General

Powder & Powder-Free Latex Glove

SKU: SUGLOVES | SUGLOVESPF

Description: Powdered/Powder free Natural Latex Examination Glove 23cm with rolled cuff; 0.13mm thickness. Single use for clean up, electronic assembly, packaging and inspections also used in the medical industry. Available from sizes small to large.

Sold Per: Box of 100 pairs



GeneralBlue Powder-Free Nitrile Glove

SKU: SUGPFNITRILEB

Description: For moderate to high exposure to fluids or chemicals. Powder-free and natural rubber latex-free. Textured fingertips. Ambidextrous. Non-sterile. Available from sizes S –

Sold Per: Box of 100 pairs



General

Plastic Deli Gloves

SKU: SPGLOVESD

Description: Clear embossed plastic, suitable

for use in deli's, restaurants and more.

Sold Per: Pack of 100 pairs

Miscellaneous Gloves





General Cotton Glove

SKU: SUGCOTTON

Details: 100% cotton glove with straight thumb 8oz weight. Used for light abrasion applications, agriculture, construction, material handling. Use only for general handling or as an inner. Not suitable for: chemical handling, heat, acids, bases & solvents. Not puncture or cut resistent.



General Grey Cotton Glove

Details: 100% cotton glove with straight thumb 10oz weight. Used for light abrasion applications, agriculture, construction, material handling. Use only for general handling or as an inner. Not suitable for: chemical handling, heat, acids, bases & solvents.

Sold Per: 1 pair



General

Polka Dot Glove

SKU: SPCOTTONP

Details: Machine knitted 7guage (String Knit or Crochet) cotton blend. The dots add grip to the glove. It has an elasticised composite knitted wrist with an over-locked cuff. This glove is ideal to use in light industrial handling.

Sold Per: 1 pair




General

Hi-Viz Orange PVC Freezer Glove

SKU: SPGFREEZER

Details: Textured grip, four layers of protection, Orange Hi-visibil-





Acid-Resistant Olive Conti Suit

SKU: SPSCCONTA

Description: : Sold according to jacket sizes, Concealed YKK metallic zips. Bar-tacking on pressure points. The pants have ½ elasticated waistband with triple-stitching on inner and outer leg as well as the back and front rise. Paints feature two side pockets and one back pocket. Made from 80/20 poly cotton with acid resistant finish.

Protective Clothing



Denim Conti Suit

SKU: SPSCCONTID

Details: Sold according to jacket sizes, Concealed YKK metallic zips, Jacket features include two side pockets and a Monza chest pocket with single top-stitching throughout. The pants have elasticated waistband, triple-stitched inner leg, back and front rise, two side pockets and one back pocket. Made from 220g 100 % cotton twill fabric. 285g denim fabric.

Sold Per: 1 suit



D59 Flame & Acid Retardant Conti Suit

SKU: SPSCCONTIFAR

Jacket Description: Reinforced bar-tacked seams and pressure points. Reflective tape on elbows, SABS approved, Concealed YKK front zip opening, Chest pocket with V-flap and press stud, hanger loop, side slits and elasticated cuffs. Made from 300g 100% cotton with acid and flame-retardant finish. Trouser Description: Reinforced bar-tacked seams and pressure points, Reflective tape on knees, SABS approved, Elasticated waistband, Triple needle top-stitching on front and back rise and on the inner and outer leg, Two swing pockets, money pocket, side tool pocket and one back patch pocket. Made from 300g 100 % cotton with acid and flame-retardant finish.



Supreme 100% Cotton Conti Suit

SKU: SPSCCONTIN

Sold Per: 1 suit

Decription: Jacket with concealed YKK zip, Twin-needle top-stitched mitred chest pocket with V- flap and pen division, Triple-stitching has been added to the armholes & underarm, Pants have elasticated waistband, Triple top-stitched front, back rise and inner & outer leg, Pants with double top-stitched side pockets and one back pocket, Reinforced bar-tacking on seams and all pressure points. Made from 220g 100% cotton. **Sold Per:** 1 suit



Reflective Tape Conti Suit

SKU: SPSCCONTIRBR

Description: Reflective tape on elbows and knees, concealed metallic zips, Two side Pockets, Monza chest pocket, Single top-stitching throughout, Pants have elasticated waistband, two side pockets, one back pocket, Triple-stitched inner leg, back and front rise, Sold according to jacket sizes. Made from 210g poly cotton twill fabric.



Navy Freezer Jacket

SKU: SPFREEZERJ

Description: Insulated padded jacket with elasticated cuff, Freezer Jacket, ideal for those very cold working conditions, Two front pockets &, one chest pocket, Hood with draw cord.

Sold Per: 1 unit



Navy Freezer Pants

SKU: SPFREEZERP

Description: Insulated padded freezer pants, Elasticated waist with draw cord can easily be adjusted for a comfortable fit, Double top-stitched front and back rise for a durable finish.

Sold Per: 1 unit



Navy Freezer Suit

SKU: SPNFREEZOL

Description: Insulated padded freezer suit, ideal for those very cold working conditions.

Sold Per: 1 suit



Navy Rubberized Rain Suit

SKU: SPRAINSUIT

Description: A two-piece rain suit with hood, zip and storm flap. Comes with a draw-string storage pouch. Trousers with

fully elasticated waist,





SKU: SPREFLEC

Description: A sleeveless solid mesh high visibility waist coat, with reflective tape, ID pocket, full zip front. Available in yellow and orange.

Sold Per: 1 vest



Short Sleeve Smock

SKU: SPSMOCK

Description: Perfect outerwear to protect ladies' clothes while cleaning or cooking. Grown on button stand with buttons and bust darts. Two front patch pockets, short sleeves with a cuff. Made from 210g 80/20 poly cotton.

Sold Per: 1 unit



Golf Shirts

SKU: ZPSGOLF

Description: Double-needle finish on sleeves and hem, two ridge Collar, Supplied with a loose pocket, Three button placket, Self-fabric neck tape on collar seam. Made from 175g 65/35 poly cotton fabric. Available in various colours.

Sold Per: 1 unit



T-Shirts

SKU: ZSPTSHIRT

Description: Shoulder-to-shoulder seam taping for improved comfort and durability, Dyed with reactive dyes, Double top-stitched hem and sleeves, Double neck rib with top-stitching, Comfort fit. Available in 145g, 160g, 170g & 180g and comes in various colours.





3M Coveralls #4515

SKU: SPCOVERALL

Description: An economic solution to protect from hazardous dusts such as asbestos fibres during site inspection. Certified Type 5/6 protection for both hazardous dusts and liquid splashes. Breathable material technology for reduced heat stress and breathable comfort all day. 2-way zipper with storm flap for added on-off convenience and extra protection, Elastic cuffs, waist and ankles for a better fit and freedom of movement.

Recommended Applications: Asbestos Inspection, Site Preparation, Insulation, Light Industrial Cleaning, Machine Maintenance, Light-Duty Cleaning, Warehousing, Janitorial.

Sold Per: 1 suit



Kimberly Clark Kleenguard #A40 Coveralls

SKU: FITK9791091

Description: Single-use breathable protective clothing to improve safety & comfort in high-risk areas providing general protection against water-based or chemical splashes, liquids or dust particles with added benefit of antistatic protection.

Recommended Applications: Ideal for providing high levels of protection against larger particles, radioactive dust & chemical splashes, helping to reduce contamination in low lint & critical areas, working in pharmaceutical industries, manufacturing, utilities, electronics, agriculture & paint spraying areas.





Honeywell Mutex 2 Coveralls #4180002

SKU: SPN4180002

Description: Mutex 2 is a Category III with a Type 5 & 6 protections, it is silicone & latex free, Breathable and antistatic. Excellent liquid tightness, no seams on arms and shoulders, Double Outer & inner flap Excellent resistance, Maxi-wide seams with special design at crotch prevents from tearing.

Recommended Applications: Industrial Painting, Handling of Chemical/Petrochemical Products, Pharmaceutical Industry, Microelectronics, Clean Room, Biological Risks, Industrial Cleaning & Asbestos Removal.

Sold Per: 1 suit



General Disposable Coveralls

SKU: SPDCOVER

Description: A non-woven coverall with hood and elasticated cuffs and ankle

Bova Adapt Utility Safety Boot | #71442 SKU: SPSBBOVAE Description: Genuine split leather upper, 4 pair D-ring lace-up, Padded bellows tongue and collar for comfort, Special needled-fibre vamp lining for excellent perspiration absorbency, Anti-Static, non-woven in-stock flexibility, comfort and stability, Anti-bacterial Energiser woollen top sock with anti-microbial properties, Midsole is shank reinforcement for arch support, Has a steel toe cap, Single density PU sole with heat resistant to 95°C. Available in sizes 5-13. Sold Per: 1 pair



Bova

Chelsea Safety Boot | #90006

SKU: SPSBBOVAC

Description: Full grain, Elastic side gussets for ease of entering and exiting boot, 2 pull straps, Special needled-fibre vamp lining for excellent perspiration absorbency, Anti-Static, non-woven in-stock flexibility, comfort and stability, Anti-bacterial Energiser woollen top sock with anti-microbial properties, Midsole is shank reinforcement for arch support, Has a steel toe cap, Double density PU/PU sole with heat resistant to 95°C. Available in black and brown in sizes 3-13.

Sold Per: 1 pair



Hamburg Safety Shoe | #90008

SKU: SPSBBOVAHAM

Description: Suede leather upper, 4 pair eyelet lace-up, Reflective safety stripes for enhanced visibility, Padded tongue and collar for comfort, Special needled-fibre vamp lining for excellent perspiration absorbency, Anti-Static, non-woven in-sock for comfort and stability, Anti-bacterial Energiser woollen top sock with anti-microbial properties, Midsole is shank reinforcement for arch support, Has a steel toe cap, Double density PU/PU sole with heat resistant to 95°C. Available in sizes 4-12.

Sold Per: 1 pair



Bova

Neogrip Safety Shoe | #90005

SKU: SPSBBOVAN

Description: Highly durable full leather upper, Padded Bellows tongue, Full grain leather upper, 3 pair eyelet lace-up, Reflective safety tab on rear for enhanced visibility, Padded collar for comfort, Special needled-fibre vamp lining for excellent perspiration absorbency, Anti-Static, non-woven in-sock for comfort and stability, Anti-bacterial Energiser woollen top sock with anti-microbial properties, Midsole is shank reinforcement for arch support, Has a steel toe cap, Double density PU/PU sole with heat resistant to 95°C. Available in sizes 5-13.



Bova Safety | Mens



Neon

Neoflex Safety Boot | #90004

SKU SPSBBOVANEO

Description: Full grain leather upper, 5 pair D-Ring lace-up, Padded collar for comfort, Reflective safety tab on rear for enhanced visibility, Special needled-fibre vamp lining for excellent perspiration absorbency, Anti-Static, non-woven in-sock for flexibility, comfort and stability, Anti-bacterial Energiser woollen top sock with anti-microbial properties, Midsole is shank reinforcement for arch support, Has a steel toe cap, Double density PU/PU sole with heat resistant to 95°C. Available in sizes 3-15.





Boya

Maverick Safety Boot | #60002

SKU: SPSBBOVAM

Description: Genuine split leather upper, 5 pair D-Ring lace-up, Padded bellows tongue and collar for comfort, Special needled-fibre vamp lining for excellent perspiration absorbency, Anti-Static, non-woven in-sock for flexibility, comfort and stability, Has a steel toe cap, Double density PU/PU sole with heat resistant to 95°C. Available in sizes 4-13.

Sold Per: 1 pair



Hiker Safety Boot | #20013

SKU: SPSBBOVAHI

Description: Full grain leather upper, 4 pair D-Ring lace-up with hooks. Padded bellows tongue and collar for additional comfort and support, Extra-wide fitting upper as per Podiatry specifications, Special needled-fibre vamp lining for excellent perspiration absorbency, Anti-Static, non-woven in-sock with Poron at the ball and heel of the boot for flexibility, comfort and stability. Anti-bacterial Energiser EVA top sock with Poron at the ball and heel of the boot for comfort anti-fatigue support. Midsole is engineered with a cushioned EVA insert at the heel for shock absorption, Shank reinforcement for arch support, Has extra wide fitting steel toe cap, Double density PU/PU sole with heat resistant to 95°C. Available in black and brown sizes 3-12.







FX2 Boot & Shoe

SKU: SPSBREBFX

Description: Highly durable full leather upper, Lightweight dual density polyurethane sole, extremely slip resistant, Tai-

Sold Per: 1 pair



Rebel

FX2 Chelsea Boot

SKU: SPSBREBFX2 | SPSBREBFX2B

Description: An affordable Safety Boot, Steel Toe Cap — \$\omega\$200J, Oil and Acid Resistant, Double Density PU Sole, Heat

Sold Per: 1 pair



Rebel

Chukka Boot & Shoe

Description: Highly durable full leather upper, Padded Belcomfortable inner sole, Maxi- grip outer sole ensuring high durability and slip resistance, Taibrelle moisture wicking lining, Rustproof brass D-rings. Available in black & brown in sizes 2-15.

Rebel Mens Safety Footwear



Rebel

Hiker Boot & Shoe

SKU: SPSBREB304 | SPSBREB303

Description: Full grain high quality waxy leather upper, Lightweight dual density polyurethane sole, Ultra-comfortable inner sole, Maxi- grip outer sole ensuring high durability and slip resistance, Taibrelle moisture wicking lining, Rust-proof brass D-rings. Available in black & brown in sizes 2-13. **Sold Per**; 1 pair



Rebel

WorkPro Shoe

SKU: SPSBREB508

Description: Full grain, water resistant action leather upper, Exceptionaly comfortable, Breathable and abrasion resistant Tailbrelle, Lightweight double density PU soles, Highly durable, slip and oil resistant outsole, Great value for companies looking for a uniform shoe for their staff. Available in black in sizes 2-12.

Sold Per: 1 pair



Rehel

Thermotrak Hi Boot

SKU: SPSBREB6S5072

Description: Hygienic removable cushion dinner soles with anti-microbial properties. Excellent wearing properties – long life Nitrile outsole, High temperature application max exposure of 300°C, Tailbrelle moisture wicking lining, Steel shank for torsional rigidity. Available in black in sizes 4-14.











Chemitrak S3 Boot

SKU: SPSBREB210

Description: Full Grain, High Quality S2 (Water Resistant), Black Treated Waxy Cow Leather, High Resistance to Chemicals, Heat, Flame, Oil & Mould, 100% Natural Nitrile Rubber Sole, Heat Resistant up to 300 °C, Anti-Penetration Steel midsole, Breathable and Abrasion Resistant blue Taibrella, Wide Profile Carbon Steel #459, Nickel-free D-Rings. Available in black in sizes 4-13

Sold Per: 1 pair

Rebel

Hygiene Boot

SKU: SPSBREBGL068GY

Description: Complete white boot, designed for the hygienic sector, e.g. food, medical, pharmaceutical, Micro-fibre material, S2 water resistant construction, Lightweight PU rubber sole, Taibrelle moisture wicking lining. Specially designed without Velcro or fasteners to increase hygienic properties. Available in White in sizes 3-13.

Sold Per: 1 pair

Rebel

Expedition Boot & Shoe

SKU: SPSBREB424 | SPSBREB429

Description: Nubuck Leather upper, Rubber toe-bumper for added scuff protection, EVA/Rubber outsole for high durability & comfort, Tailbrelle moisture wicking lining, Steel shank for torsional rigidity, Hygienic removable cushioned innersole with anti-microbial properties. Available in black and brown in sizes 4-13.

Sold Per: 1 pair

Rebel

Classic Work Shoe

SKU: SPSBREB203

Description: High quality, full grain cow leather upper, Classic styled, formal shoe offering no compromises on industrial safety features, EN-ISO 20345, Approved Carbon Steel Toe Cap, Light weight and comfortable dual density Polyurethane sole, Ultra-comfortable REBEL Footbed inner sole, Taibrelle moisture wicking lining. Available in black in sizes 4-13.

Sold Per: 1 pair

Rebel

Classic Work Boot

SKU: SPSBREB506 | SPSBREB204

Description: High quality, full grain cow leather upper, Classic styled, formal shoe offering no compromises on industrial safety features, EN-ISO 20345, Approved Carbon Steel Toe Cap, Light weight and comfortable dual density Polyurethane sole, Ultra comfortable REBEL Footbed inner sole, Taibrelle moisture wicking lining. Available in black and brown with or without a steel toe cap in sizes 4-13.











Enduro-Max Shoe

SKU: SPSBREB808

Description: Durable Mesh and Nubuck leather upper offering superb ventilation, Rubber toe-bumper for added scuff protection, Moulded TPU sole insert for torsional rigidity and lateral medial support, Dual density EVA/Rubber sports shoe outsole offering superb comfort and traction, Breathable and abrasion, resistant Taibrelle lining. Available in sizes 4-13.

Sold Per 1 pair

Rebel

Jigga Boot

SKU: SPSBREB5174

Description: Full grain high quality Bartan print leather upper, Breathable and abrasion resistant Taibrelle lining, Dual density PU/Rubber heat-resistant sole, High temperature application maximum exposure of 300°C, Oil and acid resistant, Excellent wearing properties - longer life sole, Increased resistance to penetration, Available in sizes 3-13.

Sold Per: 1 pair

Rebel

Non-Metallic Boot

SKU: SPSBREB0830

Description: Full Highly durable Barton print leather upper, Anti-penetration nail guard sole, 100% metal free design, Lightweight polyurethane sole, Padded tongue and collar for extra comfort, Taibrelle moisture wicking lining, Nonmetallic composite to can Available in sizes 3-13

Sold Per: 1 pair

Rebel

Black Hawk S3 Boot

SKU: SPSBREB911S-3

Description: Steel toe cap, Anti Penetration steel mid sole, Water resistant upper construction, Rust proof brass D rings, Side Zip for speedy fixing and/or removal, Side zip for speedy fixing. Laces to ensure correct fitting, Dual Density PU sole for added comfort and durability, Taibrelle moisture wicking lining. Available in sizes 3-15.

Sold Per: 1 pair

Rebel

Hi-Top Brown

SKU: SPSBREB420BR

Description: This stylish work boot offers you an easy slip-on solution with supreme comfort, High quality, premium leather upper, Wide profile Steel Toe Cap, Taibrelle moisture wicking lining, Full removable mesh & EVA inner sole, Oil and acid resistant dual density PU sole, Heat resistance to 90, ISO 20345, Anti-static. Available in sizes 4-13.











Crazy Horse Brown Boot

SKU: SPSBREB652TA

Description: Quality is remembered long after price is forgotten, High quality, premium leather upper, Wide profile Steel Toe Cap, Extra thick footbed with Poron padding, Rubber toe-bumper for added scuff protection, Lightweight double density, heat resistant PU sole, Highly durable, slip- and oil-resistant outsole, SABS/ISO 20345, Anti-static, Available sizes 4-13.

Sold Per: 1 pair

Rebel

Lo-Top Charcoal

SKU: SPSBREB429CH

Description: Urban styling with world class safety, High quality, premium leather upper, Wide profile Steel Toe Cap, Breathable and abrasion resistant Taibrelle, Lightweight double density PU sole, Highly durable, slip- and oil-resistant outsole, SABS/ISO 20345, Anti-static. Available in sizes 4-13.

Sold Per: 1 pair

Rebel

S3 Technical Boot

SKU: SPSBREB608

Description: Upper Full Grain high quality Buffalo leather upper with S2 water resistant coating. Lining Breathable & abrasion resistant. Taibrelle moisture wicking lining. Sole Lightweight dual density. Polyurethane sole; crack resistant tested to 30 000 flexes; slip resistant, steel mid-shoe Toecap Wide carbon steel-tested to an impact resistance of 200 Joules. Available in sizes 4-13.

Sold Per: 1 pair

Rebel

Glider Shoe

SKU: SPSBREB801

Description: A comfortable, slip resistant and non-metallic slip-on shoe perfectly designed for use in indoor factories, production lines, transport, motor and hospitality industries. Micro-fibre upper with padded micro-fibre collar, Dual density Polyurethane sole, Black Taibrelle mesh and micro-fibre lining, 200J composite toe-cap, Footbed with extra thick PU foam with 2mm memory foam pillow top and Poron heel insert. Available in sizes 3-13.

Sold Per: 1 pair

Rebel

Light Industrial

SKU SPSBREB942

Description: Sleek, sporty design, Upper consists of Grey Oxford mesh, TPU Trim and a grey nubuck back guard, EVA Inner sole and rubber outsole, Fabric loops with one round metal eyelet, Black & blue Taibrelle mesh lining, 200J steel toe cap, Ultra-thick EVA foam footbed with mesh top lining, ISO 20345 and SABS approved. Available in sizes 5-13.









Dynapro Shoe

SKU: SPSBREB316

Description: 200J Composite (non-metallic) toe cap, Fly knit woven mesh upper, TPU trim with reinforced heel and toe bumper upper, EVA (Phylon) grey midsole & rubber outsole, Black Taibrelle mesh lining, Ultra-thick PU Foam with mesh top lining footbed. Available from size 4-13

Sold Per: 1 pair

Rebel

Havoc Boot

SKU: SPSBREB651

Description: The Havoc boot is ISO 20345 approved. This stylish work boot offers you an easy slip-on solution with supreme comfort. A high quality, premium leather is used, while safety features include steel toe cap, anti-static, oil resistance and heat resistance.200 Joules, Antistatic, Genuine Leather, Heat Resistant, Oil Resistant, Shock Absorbent, Slip Resistant. Available in black and brown in sizes 4-13

Sold Per: 1 pair

Rebel

Rigger Boot

SKU: SPSBREB912

Description: The Rebel Rigger boot is ISO 20345 & SABS approved. This water & heat resistant non-metallic boot features a Kevlar® anti-penetration midsole and has a max high temperature application of 300°C, and is highly recommended for the Oil and Gas Industries and Oil Rigs; Mining Industry, construction, metal industries, foundries and manufacturing and fabrication. Full Grain Leather with TPU toe bumper for added scuff protection, Water Resistant Upper, Kevlar® anti-penetration midsole, Dual Density PU/Rubber sole, N/A Pull Up Side Loops, Black Taibrelle mesh lining, 200J non-metallic composite toe cap, Moulded PU Taibrelle mesh upper with contoured heel and arch, 3MR Ibitech non-woven insole board. Available in sizes 4-13.

Sold Per: 1 pair

Rebel

Miner's Boot

SKU: SPSBREB954

Description: Buffalo Crazy Horse Leather with Black TPU Toe Guard and Black TPU Heel Support Guard, Poron® XRD® built-in metatarsal guard, Padded bellows tongue and high ankle cut which provides additional ankle support, Steel mid-sole for anti-penetration protection, non-metallic, PU Rubber sole, Round metal eyelets and hook lacing system, Black Taibrelle mesh lining, 200J steel toe cap, Extra thick PU Foam footbed with 2mm memory foam pillow and Poron heel is not be the province of the steel to be supported by the suppo



Rebel Safety F



Rebel

Light Industrial Ladies Shoe

SKU: SPSBREB941

Description: Sleek, sporty design, Upper consists of Grey Oxford mesh, TPU Trim and a grey nubuck back guard, EVA Inner sole and rubber outsole, Fabric loops with one round metal eyelet, Black & pink Taibrelle mesh lining, 200J steel toe cap, Ultra-thick EVA foam footbed with mesh top lining, ISO 20345 and SABS approved. Available in sizes 2-8.

Sold Per: 1 pair



Rebel

Iman Ladies Shoe

SKU: SPSBREB682

Description: A lace up shoe which is ISO 20345 & SABS approved. It is a stylish and ultra-comfortable safety shoe with a steel toe cap. The high quality materials used include a micro-fibre upper offering excellent breathability, black and pink Tailbrelle mesh micro-fibre lining, a bellows tongue and collar for added comfort and a slip resistant sole. Available in sizes 2-8.

Sold Per: 1 pair



Rebel

Kito Ladies Shoe

SKU: SPSBREB683

Description: A slip-on shoe which is ISO 20345 & SABS approved and features a stylish slip-on design. It is a stylish and ultra-comfortable safety shoe with a steel toe cap. The high quality materials used in making this range of ladies safety footwear include a micro-fibre upper offering excellent breathability, black and pink Tailbrelle mesh micro-fibre lining and a slip resistant sole. Available in sizes 2-8

Ladies ootwear





Rebel

Zari Ladies Shoe

SKU SPSBREB9741

Description: Features and easy to use velcro strap. It is a slim, ultra-comfortable and elegant safety shoe. The high quality materials used include a micro-fibre upper offering excellent breathability, black and pink Tailbrelle mesh micro-fibre lining, a steel toe cap and slip resistant sole. The Zari is ISO 20345 and SABS approved. Micro-fibre upper, PU Collar with Velcro strap overlay. Dual Density Polyurethane sole. Black & pink Tailbrelle mesh and micro-fibre lining 200J steel toe cap Moulded PU, Tailbrelle mesh upper with contoured heel and arch. Available in sizes 2-8.

Sold Per: 1 pair



Rebel

Nala Ladies Boot

SKU: SPSBREB129

Description: A lace-up boot that is ISO 20345 & SABS approved. It features a padded bellows tongue and collar for added comfort. This is a slim, ultra-comfortable and elegant safety shoe. The high-quality materials used include a micro-fibre upper offering excellent breathability, black and pink Tailbrelle mesh micro-fibre lining, a steel toe cap and slip resistant sole. Available in sizes 2-8.

Sold Per: 1 pair



Rebel

Thuli Ladies Boot

SKU: SPSBREB940

Description: A Chelsea boot that is ISO 20345 & SABS approved. It is a slim, ultra-comfortable and elegant slip-on boot with a reinforced back guard. The high- quality materials used include a micro-fibre upper, black and pink Tailbrelle mesh micro-fibre lining, a steel toe cap and slip resistant sole. Micro-fibre upper, reinforced back guard, high durability elastic, easy "pull on" tabs, EVA Rubber sole, Black & pink Tailbrelle mesh and micro-fibre lining, 200J steel toe cap, Extra thick PU foam with 2mm memory foam pillow top and Poron heel insert. Available in sizes 2 – 8



Wayne Black #1210

SKU: SPSGF1210

Description: Recycled PVC uppers for optimum flexibility and abrasion resistance, Available with or without steel toe cap, Recycled PVC sole for durability, The cleated sole design provides maximum slip resistance, Nylon liner allows for easy cleaning and quick drying resulting in maximum hygiene, Optimal toe-spring for walking and kneeling. Available in sizes 3-13.

Sold Per: 1 pair



Wayne Black Miner #1860

SKU: SPSGF1860

Details: PVC uppers for durability and abrasion resistance, Waterproof gusset preventing water penetrations, Available with or without steel toe cap, Nitrile PVC sole for durability and protection against fats, oils and chemicals, The cleated sole design provides resistance and maximum soil, Nylon liner allows for easy cleaning and quick drying resulting in maximum hygiene, Optimal toe-spring for walking and kneeling. Available in sizes 5-12.

Sold Per: 1 pair



Wayne HD Chelsea STC #1506

SKU: SPSGF1506

Description: PVC uppers for optimum flexibility and abrasion resistance, Nitrile PVC sole for durability and protection against fats, oils and chemicals, The cleated sole design provides SRA level slip resistance and maximum soil release, Nylon liner allows for easy cleaning and quick drying resulting in maximum hygiene, Optimal toe-spring for walking and kneeling, Comfortable heavy duty with elastic gusset. Available in sizes 3-13.

Wayne Duralight White #1030

SKU: SPSGF1030

Description: PVC uppers for optimum flexibility and abrasion resistance, Nitrile PVC sole for durability and protection against blood, fats, oils and chemicals, Light in weight for enhanced comfort and reduced fatigue, Nylon liner allows for easy cleaning and quick drying resulting in maximum hygiene. Available in sizes 5-12.

Sold Per: 1 pair



Wayne Duralight Black #1040

SKU: SPSGF1040

Description: PVC uppers for optimum flexibility and abrasion resistance, Durable PVC sole, Light in weight for enhanced comfort and reduced fatigue, Nylon liner allows for easy cleaning and quick drying resulting in maximum hygiene. Available in sizes 5-12.

Sold Per: 1 pair



Wayne Chelsea #1503

SKU: SPSGF1503

Description: PVC uppers for optimum flexibility and abrasion resistance, Nitrile PVC sole for durability and protection against blood, fats, oils and chemicals, Light in weight for enhanced comfort and reduced fatigue, The cleated sole design provides maximum slip resistance, Nylon liner allows for easy cleaning and quick drying resulting in maximum hygiene, Has an elastic gusset. Available in sizes 5-12.





Wayne Duralight White #1681

SKU: SPSGF1681

Description: PVC uppers for optimum flexibility and abrasion resistance, Nitrile PVC sole for durability and protection against blood, fats, oils and chemicals, Light in weight for enhanced comfort and reduced fatigue, Nylon liner allows for easy cleaning and quick drying resulting in maximum hygiene. Available in sizes 3-9.

Sold Per: 1 pair



Wayne Chelsea #1510

SKU: SPSGF1510

Details: PVC uppers for optimum flexibility and abrasion resistance, Nitrile PVC sole for durability and protection against blood, fats, oils and chemicals, Light in weight for enhanced comfort and reduced fatigue, The cleated sole design provides maximum slip resistance, Nylon liner allows for easy cleaning and quick drying resulting in maximum hygiene, Has an elastic gusset. Available in sizes 3-9.

Sold Per: 1 pair



Wayne Duralight Black #1661

SKU: SPSGF1661

Description: PVC uppers for optimum flexibility and abrasion resistance, Durable PVC sole, Light in weight for enhanced comfort and reduced fatigue, Nylon liner allows for easy cleaning and quick drying resulting in maximum hygiene. Available in sizes 3-9.

Barron Defender Safety Boot

SKU: SPSBSF001

Description: SABS SANS 20345 approved safety boot, Anti-static easily removable inner sole, Oil resistant, Slip resistant, Shock resistant, This robust boot also has a steel toecap with impact protection of 200 Joules, Heat resistant up to 90°C, Genuine leather upper and dual density PU sole. Available in sizes 3 -13.

Sold Per: 1 pair



Barron Armour Safety Shoe

SKU: SPSBSF002

Description: SABS SANS 20345 approved safety boot, Anti-static easily removable inner sole, Oil resistant, Slip resistant, Shock resistant, This robust boot also has a steel toecap with impact protection of 200 Joules, Heat resistant up to 90°C, Genuine leather upper and dual density PU sole. Available in sizes 2 -13.

Sold Per: 1 pair



Barron Chelsea Safety Boot

SKU: SPSBSF003

Description: CE EN ISO 20345: 2011 approved safety boot, Anti-static easily removable inner sole, Oil resistant, Slip resistant, Shock resistant, Steel toe cap with impact protection of 200 Joules, Heat resistant up to 90°C, Genuine leather upper and dual density PU sole. Available in black & brown in sizes 5-13.



Harnesses



DBI-SALA® Delta™

SKU: SPDELTA1112917

Product Highlights:

Repel[™] Technology Webbing, Lanyard Keepers, Revolver[™] Vertical Torso Adjusters, Surefit[™] No-tangle Design, Stand Up Dorsal D-Ring, No-tangle[™] Design, Built-in Impact Indicators, Covered labels and i-Safe.

Specifications:

Sizes: S/XL or Universal
D-Ring Locations: Back
Body Belt: No
Leg Strap Buckle Type: Pass-Through Buckl
i-Safe Equipped: Yes
Physical Weight: 1,55 kg
Product Style: Vest Style
Standards: CF_EN361

Sold Per: 1 Unit



DBI-SALA® Delta™ Quick Connect

SKU: SPDELTA1112912

Product Highlights:

Repel™ Technology Webbing, Lanyard Keepers, Revolver™ Vertical Torso Adjusters, Surefit™ No-tangle Design, Stand Up Dorsal D-Ring, No-tangle™ Design, Built-in Impact Indicators, Covered labels and i-Safe.

Specifications:

Sizes: S/XL or Universa
D-Ring Locations: Back, Front
Body Belt: No
Leg Strap Buckle Type: Pass-Through Buckle
i-Safe Equipped: Yes
Physical Weight: 1.75 kg
Product Style: Vest Style
Standards: CF_FN36I

Sold Per: 1 Unit



DBI-SALA® Delta™ Quick Connect With Belt SPDELTA1112908

Product Highlights:
Repel™ Technology Webbing, Lanyard Keepers, Revolver™
Vertical Torso Adjusters, Surefit™ No-tangle Design, Stand Up
Dorsal D-Ring, No-tangle™ Design, Built-in Impact Indicators,
Covered labels and i-Safe.

Specifications:

Sizes: S/XL or Universal

Body Belt: Yes

Leg Strap Buckle Type: Pass-through Buckle

Physical Weight: 2.35 kg Product Style: Vest Style with belt Standards: CE, EN361, EN358





DBI-SALA® ExoFit NEX™ Suspension Harness

SKU: SPEXOFIT1113962

Product Highlights:

Quick Connect Buckles, Tech-Lite™ Aluminium Rear Fall Arrest Point, Covered labels and i-Safe™, Repel™ Technology Webbing.

Specifications:

D-Ring Locations: Back with extension

Padding Location: Shoulder, Leg, Back, Hip

Standards: CE, EN361, EN358

Sold Per: 1 Unit



DBI-SALA® ExoFit XP™ Personal Flotation Device Harness - SOLAS

SKU: SPEXOFIT1109822

Product Highlights:

Moulded Lanyard Keepers, Stainless Steel dorsal Fall Arrest Point, Hybrid Comfort Pads and Ultra-Soft Edging, 300N SOLAS

Specifications:

Sizes: S/M/XL

Body Belt: No

Product Style: Flotation Harness Standards: CE, EN361





DBI-SALA® Delta™ Nomex Kevlar Webbing Harness SKU: SPDELTA1101714

Product Highlights:

425°C Char temperature, Constructed from Nomex®/Kevlar® webbing, No-tangle™ Design, Stand Up Dorsal D-Ring, Covered labels and i-Safe

Specifications:

Body Belt: No Leg Strap Buckle Type: Pass-Through Buckle Padding Location: Shoulder, Leg, Back, Hip Product Style: Vest-Style Standards: CE, EN361



DBI-SALA® ExoFit NEX™

SKU: SPEXOFIT1113902

Product Highlights:

Moulded Lanyard Keepers, Covered Labels & i-Safe, Duo-Lok™ Quick Connect Buckles, Revolver™ Vertical Torso Adjusters, Repel™ Technology Webbing, Stand Up Dorsal D-Ring, Built-in Impact Indicators, Integrated Suspension Relief Straps.

Specifications:

Sizes: S-XL

D-Ring Locations: Back Front, Body

Belt: No

Leg Strap Buckle Type: Duo-Lok™ Quick Connect

Padding Location: Shoulder, Leg, Back

i-Safe Equipped: Yes Physical Weight: 1,95 kg Product Style: Vest Style Standards: CE FN361

Sold Per: 1 Unit



DBI-SALA® ExoFit NEX™ with Belt

SKU: SPEXOFIT1113912

Product Highlights:

Moulded Lanyard Keepers, Covered labels & i-Safe, Duo-Lok™ Quick Connect Buckles, Revolver™ Vertical Torso Adjusters, Repel™ Technology Webbing, Stand Up Dorsal D-Ring, Built-in Impact Indicators, Integrated Suspension Relief Straps.

Specifications:

Sizes: S-XL

D-Ring Location: Back Side Front

Body Belt: Yes

Leg Strap Buckle Type: Duo-Lok™ Quick Connect

Padding Location: Shoulder, Leg, Back, Hip

i-Safe Equipped: Yes Physical Weight: 2.86 kg

Product Style: Vest Style with Belt Standards: CE, EN361, EN358



BOTH DE LA CONTRACTION DE LA C

DBI-SALA® ExoFit NEX™ For Wind Energy

SKU: SPEXOFIT1113212

Product Highlights:

Moulded Lanyard Keepers, Covered labels & i-Safe, Duo-Lok™ Quick Connect Buckles. Revolver™ Vertical Torso Adjusters, Repel™ Technology Webbing, Stand Up Dorsal D-Ring, Built-in Impact Indicators, Integrated Suspension Relief Straps.

Specifications:

Sizes: S-L

D-Ring Location: Back Side Front

Body Belt: No

Leg Strap Buckle Type: Duo-Lok™ Quick Connec

Padding Location: Shoulder, Leg. Back

i-Safe Equipped: Yes Physical Weight: 1.95 kg Product Style: Vest-Style Standards: CE, EN361, EN813

Sold Per: 1 Unit

DBI-SALA® ExoFit NEX™ For Wind Energy with Belt

SKU: SPEXOFIT1113217

Product Highlights:

Moulded Lanyard Keepers, Covered labels & i-Safe, Duo-Lok™ Quick Connect Buckles, Revolver™ Vertical Torso Adjusters, Repel™ Technology Webbing, Stand Up Dorsal D-Ring, Built-in Impact Indicators, Integrated Suspension Relief Straps.

Specifications:

Sizes: S-L

D-Ring Location: Back Side Front

Body Belt: Yes

Leg Strap Buckle Type: Duo-Lok™ Quick Connect Padding Location: Shoulder, Leg, Back, Hip

i-Safe Equipped: Yes Physical Weight: 3.10 kg

Product Style: Vest-Style with Belt Standards: CE, EN361, EN358




Self-Locking Stainless Carabiner 18mm gate



SKU: SPAJ514

Product Highlights: Automatic gate closing and locking, Ease of use, Certified to EN362.

Specifications: Brand: PROTECTA® | Size: 104mm | i-Safe Equipped: No | Length: 104mm | Physical Dimensions: 104,00x57,00x (mm) | Physical Weight: 170,00 g | Product Styles: Portable | Product Type: Self Locking Carabiners with a Twist Lock | Standards: CE, EN36.







SKU: SSPAJ501

Product Hightlights: Manual Locking, Durable and light weight, Certified to EN362.

Specifications: Brand: PROTECTA® | Size: 104mm | i-Safe Equipped: No | Length: 104mm | Physical Dimensions: 104,00x58,00x (mm) | Physical Weight: 170,00 g | Product Styles: Portable | Product Type: Screw Gate Carabiners Twist Lock | Standards: CE, EN362.





Shock Absorbing Lanyard - Tie Back

SKU: SPEZST1245542

Product Highlights:

Revolutionary new HI-10™ energy absorbing technology, Fully protected Identification labels with I-Safe™, Nylon reflector strips.

Specifications:

Lanyard Length: 2.00m General Lanyard: 35mm Polyester Webbing

Sold Per: 1 unit



Shock Absorbing Lanyard - Tie Back Twin Leg

SKU: SPEZST1245550

Product Highlights:

Specifications:

Physical Weight: 2.00 kg

Sold Per: 1 unit



Shock Absorbing Lanyard - Expander™

SKU: SPEZST1245540

Product Highlights:

Elasticated webbing lanyard, maximum user weight 130kg, Compact shock pack design, Revolutionary new HI-10™ energy absorbing

Specifications:

Number of legs: Single-Leg

Physical Weight: 0.65 kg





Lanyards & Hooks





DBI-SALA® EZ-Stop™

Scaffolding Hook Lanyard Tie Back Twin Leg 1.65m

SKU: SPEZST1245556

Product Highlights:

Adjustable tie back connection design can be used to create an anchor point from an existing structure, Also suitable for connecting directly to an anchor up to 60mm in diameter, Lightweight aluminium triple lock carabineer, Lightweight aluminium scaffold hook with 16kN gates for ultimate security where a risk of cross loading the hook exists.

Specifications:

Anchor Connector Hook Type: Aluminium Double Action Harness Connector Hook Type: Aluminium Triple Lock Carabineer General Lanyard: 35mm Polyester Webbing

0.00110011001

Sold Per: 1 unit

DBI-SALA®

Work Positioning Lanyard – Trigger

SKU: SPL1200313

Product Highlights:

Trigger™ adjustment device, 11 mm Kernmantle rope material, Snaphook connecting hook, Twist lock double action carabineer connection to Trigger™ device. Rope protection sleeve

Specifications:

Anchor Connector Hook Type: Snap Hook Harness Connector Hook Type: Twist Lock Carabine Number Of legs: Single-Leg

General Lanyard: Rope Physical Weight: 0,74 kg Standards: CE EN358



DBI-SALA® Sealed-Blok™ Self-Retracting Lifelines

SKU: SPSRL3400805 (9m) | SPSRL3400956 (15m) | SPSRL3400881 (25m) | SPSRL3400986 (40m)

Product Highlights:

Pivoting Anchorage Loop, Sealed Design, Aluminum Housing, 2 267Kg Rated handle, Impact Indicator, Tripod / Davit Arm Bracket Option, Retrieval Winch (optional), 5mm Diameter Rope, 1633kg Gate, RSQ Options, FAST-Line Lifeline Assembly.

Specifications:

Standards: CE, EN360, EN1496 clB

Sold Per: 1 unit



Rebel™

Self-Retracting Lifelines

SKU: SPSRL3590521 (10m) | SPSRL3590570 (15m) | SPSRL3590610 (20m)

Product Highlights:

Anchor Swivel, Choice of housing (thermoplastic or aluminium), Side cable exit, 140kg Capacity, Galvanized or Stainless Steel 5mm Cable, Ergonomic Carrying Handle, Ergonomic Cable Bumper.

Specifications:

Standards: CE, EN360

Sold Per: 1 unit



DBI-SALA® Nano-Lok™ Self-Retracting Lifeline - Single Leg

SKU: SKU: SPNAN3101208

Product Highlights:

Single leg harness connector, Swivelling anchorage loop, Impact-resistant housing, Compatible with a shoulder or foot connection, 2m Retractable lifeline, 1630kg Gate, 100% Tie-off configuration.

Specifications:

Lifeline: Dyneema webbing, Physical Weight: 1,18 kg, Standards: CE, EN360

DBI-SALA® Nano-Lok™Self-Retracting Lifeline - Twin Leg

SKU: SPNAN3101298

Product Highlights:

Twin leg harness connector, Swivelling anchorage loop, Impact-resistant housing, Compatible with a shoulder or foot connection, 2m Retractable lifeline, 1630kg Gate, 100% Tie-off configuration.

Specifications:

Lifeline: Dyneema webbing, Physical Weight: 2,39 kg, Standards: CE, EN360

Sold Per: 1 unit



SKU: SPNAN3500244

Product Highlights:

Designed for foot-level tie-off and sharp edge applications, Built-in connector for twin-leg SRL direct attachment to harness, 2.5m lifeline with 5 mm Galvanized Cable lifeline, Extremely compact, lightweight design, Tough and impact resistant thermoplastic housing, Swivelling anchorage loop, Quick activating speed sensing brake systems, Integrated backpack style energy absorber, Aluminium rebar hook (57mm opening) at end of lifeline.

Specifications:

Physical Weight: 1,81 kg Weight Capacity: 141 kg

Standards: CE, EN:2002 & standard requirements of VG11.60

Rev 7

Sold Per: 1 unit

DBI-SALA® Nano-Lok™

Edge Twin-Leg Tie-Back Quick Connect Self Retracting Lifeline

SKU: SPNAN3500244

Product Highlights:

Designed for foot-level tie-off and sharp edge applications, Built-in connector for twin-leg SRL direct attachment to harness, 2.5m lifeline with 5 mm Galvanized Cable lifeline, Extremely compact, lightweight design, Tough and impact resistant thermoplastic housing, Swivelling anchorage loop, Quick activating speed sensing brake systems, Integrated backpack style energy absorber, Aluminium rebar hook (57mm opening) at end of lifeline.

Specifications:

Physical Weight: 1,81 kg Weight Capacity: 141 kg

Standards: CE, EN:2002 & standard requirements of VG11.60

Rev 7









Rollgliss™ R550

Rescue and Descent Device with Rescue Hub

SKU: SPRS3329050

Product Highlights:

Emergency rescue and evacuation from a wide variety of elevated work areas, Fully automatic controlled descent, Bidirectional design enables multiple rescues, Built-in rescue lifting handle.

Specifications:

Capacity: 1 Person = 60-141 kg, 2 Person = 60-282 kg

Travel Length: 10m - 130m i-Safe Equipped: Yes Physical Weight: 4,02 kg Standards: CE EN 341 cl A

Sold Per: 1 set



Rollgliss™ R250 Pole Rescue Kit

SKU: SPRSAG62501030

Product Highlights:

Allows assisted rescue of worker after a fall, Extension pole adjusts from 1.2-5.0 m, kernmantle rope lifeline.

Specifications:

Capacity: 150 kg Travel Length: 30m Physical Weight: 10,00 kg

Sold Per: 1 set



DBI-SALA® Advanced™ 5-Piece Davit Hoist System

SKU: SPDAV8568000

Product Highlights:

Adjustable offset upper davit mast, Telescoping reach of 29.2 to 69.8 cm, Adjustable vertical height of 83.8 to 109.2 cm, Built-in primary and secondary pulleys, Quick mount winch SRL bracket,

Specifications:

Capacity: 204 kg Install Type: Portable Physical Weight: 37,7kg Standards: CE EN 795 cl B

Sold Per: 1 set

DBI-SALA® Advanced™ UCT-1000 Aluminium Tripod

SKU: SPTRI8563159

Product Highlights:

Telescoping adjustable locking legs, Built-in pulley system - can accommodate up to three pulleys, Rubber safety shoes with spiked edges, Safety leg support chain, Integrated 2250 kg anchor points, Quick connect winch/SRL mount bracket, Order mechanical winch/SRL device(s) separately

Specifications:

Capacity: 204 kg Physical Weight: 36,5kg Standards: CE EN 795 cl B

Sold Per: 1 set



DBI-SALA® EZ-Line™ Temporary Lifeline

SKU: SPEZ7605061

Product Highlights:

Built-in winch, Customise length, Built-in pre-tension and impact indicators, Extremely lightweight

Specifications:

Lifeline Length: 18.25m Lifeline Type: Horizontal Max Number Of Users: Two Physical Weight: 11,25 kg Standards: CE, EN79 5, Class C

Sold Per: 1 unit



PROTECTA® Pro-line™ Temporary Lifeline Webbing

SKU: SPTEM1200107

Product Highlights:

No separate components, Incorporated carry bag, Built in shock absorber

Specifications:

Lifeline Length: 20m Lifeline Type: Horizontal Max Number Of Users: Two Physical Weight: 3,50 kg Standards: CE, EN795, Class C





Why choose us?

Dedicated Customer Service Trusted Brands Stock On Hand Daily Deliveries Over 140 Years of Experience